South Carolina Aquarium Dive Safety Manual











Revised 12-2-2015

TABLE OF CONTENTS

6

VOLUME 1

SECTION 1.00 GENERAL POLICY	8
1.10 Purpose	8
1.11 Preservation Acts	8
1.12 Scientific Diving Definition	8
1.13 Scientific Diving Exemption	9
1.14 Association of Diving Contractors International - Commercial Dive Standards	9
1.15 Exemption from Federal OSHA Commercial Diving Standards	10
1.16 Review of Standards	10
1.17 Liability	10
1.20 Operational Control	11
1.21 The South Carolina Aquarium Auspices Defined	11
1.22 The South Carolina Aquarium's Diving Safety Manual	11
1.23 The Diving Safety Officer	11
1.24 The Diving Control Board	12
1.25 Instructional Personnel	13
1.26 Dive Person in Charge	14
1.30 Reciprocity and Visiting Scientific Diver	14
1.40 Waiver of Requirements	15
1.50 Consequence of Violation of Regulations by SCA Divers	15
1.60 Consequence of Violation of Regulations by Organizational Members	15
1.70 Record Maintenance	15
SECTION 2.00 DIVING REGULATIONS FOR SCUBA (Open Circuit, Compressed Air)	16
2.10 Introduction	16
2.20 Pre-Dive Procedures	16
2.21 Dive Plans	16
2.22 Emergency Plan	16
2.23 Pre-Dive Safety Checks	16
2.30 Diving Procedures	17
2.31 Solo Diving Prohibition	17
2.32 Refusal to Dive	17
2.33 Termination of the Dive	18
2.34 Emergency Deviation from Standards	18
2.35 Enclosed or Confined Spaces	18
2.40 Post-Dive Procedures	18
2.41 Post Dive Safety Check	18

2.50 Emergency Procedures	18
2.51 Open Water Diving Emergency Procedures	18
2.52 Exhibit Diving Emergency Procedures:	19
2.60 Flying After Diving or Ascending to Altitude (Over 1000 feet)	21
2.70 Recordkeeping and Requirements	21
2.71 Personal Diving Log	21
2.72 Required Incident Reporting	21
SECTION 3.00 DIVING EQUIPMENT	23
3.10 General Policy	23
3.20 Equipment	23
3.21 Regulators	23
3.22 Breathing Full Face Masks and Helmets	23
3.23 SCUBA Cylinders	24
3.24 Diver's Dress	24
3.25 Harnesses	24
3.26 Weight Belts	24
3.27 Diver-Carried Reserve Breathing Supply	24
3.28 Hoses	25
3.29 Umbilicals	25
3.30 Flotation Devices	25
3.31 Timing Devices, Depth and Pressure Gauges During Open-Water Dives	26
3.32 Determination of Decompression	26
3.33 Dive Tables	26
3.34 Auxiliary Equipment	27
3.40 Support Equipment	28
3.41 First aid supplies.	28
3.42 Diver's Flag	28
3.43 Compressor Systems - SCA Controlled	28
3.44 SCUBA Cylinder Fill Station	28
3.45 Oxygen System	28
3.46 Dive Computers	28
3.47 Diver Recall Devices	30
3.50 Equipment Maintenance	30
3.51 Recordkeeping	30
3.52 Compressor Operation and Air Test Records	30
3.60 Air Quality Standards	31
SECTION 4.00 ENTRY-LEVEL TRAINING REQUIREMENTS	32
4.10 General Policy	32
4.20 References	32

SECTION 5.00 DIVER CERTIFICATION	33						
5.10 Prerequisites	33						
5.20 Training	33						
5.30 Examinations	36						
5.40 Diver Permits/Certifications	36						
5.50 Depth Certification	37						
5.60 Continuation of Certification	37						
5.70 Revocation of Certification	38						
5.80 Recertification	38						
5.90 Waiver of Requirements/Temporary Diver	38						
SECTION 6.00 MEDICAL STANDARDS	39						
6.10 Medical Requirements of the South Carolina Aquarium Dive Team	39						
6.11 General	39						
6.12 Frequency of Medical Evaluations	39						
6.13 Information Provided Examining Physician	39						
6.14 Content of Medical Examinations	40						
6.15 Conditions Which May Disqualify Candidates From Diving (Bove, 1998)	40						
6.16 Laboratory Requirements for Diving Medical Examination and Intervals	41						
6.17 Physician's Written Report	41						
VOLUME 2							
SECTION 7.00 NITROX DIVING GUIDELINES	43						
7.10 Prerequisites	43						
7.11 Eligibility	43						
7.12 Application and Documentation	43						
7.20 Requirements for Authorization to Use Nitrox	43						
7.21 Training	43						
7.22 Examinations	43						
7.23 Minimum Activity to Maintain Authorization	44						
7.30 Nitrox Training Guidelines	44						
7.31 Classroom Instruction	44						
7.32 Practical Training	44						
7.33 Written Examination	45						
7.34 Open Water Dives	45						
7.40 Nitrox Diving Regulations	46						
7.41 Dive Personnel Requirements	46						
7.42 Dive Parameters	46						
7.43 Oxygen Parameters	48						
7.44 Gas Mixing and Analysis							

7.50	Nitrox Diving Equipment	48	
7.51	Oxygen Cleaning and Maintenance Requirements	49	
7.52	SCUBA Cylinder Identification Marking	49	
7.53	Regulators	49	
7.54	Other Support Equipment	50	
7.55	Compressor and Fill Station	50	
SEC	CTION 8.00 SCIENTIFIC AQUARIUM DIVING	51	
8.10	General Policy	51	
8.20	The Buddy System in Scientific Aquarium Diving	51	
8.30	Diving Equipment	51	
8.40	Scientific Aquarium Diver Certification	51	
8.50	Scientific Aquarium Diving Using Other Diving Technology	52	
8.51	Surface Suppled Scientific Aquarium Diving	52	
SEC	CTION 9.00 OTHER DIVING TECHNOLOGY	53	
9.10	Hookah	53	
9.20	Surface Supply Diving	53	
9.30	Blue Water Diving	54	
9.40	Overhead Environments	54	
9.50	Snorkel, Freedive, Breathhold Diving	54	
SEC	CTION 10.00 GUEST IMMERSION DIVERS	55	
	APPENDICES		
1	OCHA CHIDELINEC EOD CCIENTIEIC DIVING		57
1 2	OSHA GUIDELINES FOR SCIENTIFIC DIVING DIVING MEDICAL EXAM OVERVIEW FOR THE EXAMINING PHYSICIAN		60
3	MEDICAL EXAM OVERVIEW FOR THE EXAMINING PHT SICIAN MEDICAL EVALUATION OF FITNESS FOR SCUBA DIVING REPORT		62
4	DIVING MEDICAL HISTORY FORM		64
5	RECOMMENDED PHYSICIANS WITH EXPERTISE IN DIVING MEDICINE		68
6	DEFINITION OF TERMS		69
7	REQUEST FOR DIVING RECIPROCITY/VERIFICATION OF DIVER		72
8	DIVING EMERGENCY MANAGEMENT PROCEDURES		74
9	ACCIDENT OR INCIDENT REPORT FORMS		75
10	ASSUMPTION OF RISK AND LIABILITY RELEASE AGREEMENT		77
11	APPLICATION FOR THE SOUTH CAROLINA AQUARIUM DIVE CERTIFICATION		78
12	ACCIDENT MEDICAL COVERAGE ACKNOWLEDGMENT FORM		79



THE SOUTH CAROLINA AQUARIUM DIVING SAFETY MANUAL CHANGE REQUEST FORM

Any changes recommended to this manual should be submitted on this form and returned to the Dive Safety Officer and Dive Control Board. Changes can include updated information, suggestions or comments about the manual, and changes that will make it work better. Additional pages may be attached if necessary.

Your ideas and comments are greatly appreciated.	
MANUAL SECTION:	
PAGE #: PARAGRAPH:	
WHAT IS PRESENTLY STATED IN THIS SECTION?	
WHAT IS THE CHANGE YOU ARE RECOMMENDING?	
HOW WILL THIS IMPROVE THE MANUAL?	
	OUD.

Volume 1

Sections 1.00 through 6.00

SECTION 1.00 GENERAL POLICY

1.10 Purpose

The purpose of this manual is to ensure that all diving affiliated with The South Carolina Aquarium (SCA) is conducted in a manner that will maximize protection of divers from accidental injury and/or illness. It sets forth standards for The South Carolina Aquarium diving program, the organization for the conduct of this program, standards for training and the basic regulations and procedures for safety in all diving operations. This manual conforms to OSHA 29 Code of Federal Regulations Part 1910 Subpart T.

This manual combines both OSHA commercial diving guidelines and American Academy of Underwater Sciences (AAUS) scientific diving standards, and both the location and task are the basis for which standard is to be used. This manual was developed and written by The South Carolina Aquarium by compiling the policies set forth in the diving manuals and practices of OSHA, AAUS, NOAA, Association of Diving Contractors International (ADCI) Association of Zoos and Aquariums (AZA), Association of Dive Program Administrators (ADPA), various partner aquariums, as well as several universities, private, and governmental scientific diving programs. Many of these programs share a common heritage with the scientific diving program at the Scripps Institution of Oceanography (SIO). Adherence to the SIO standards has proven both feasible and effective in protecting the health and safety of scientific divers since 1954.

1.11 Preservation Acts

It is declared that in any emergency situation requiring the rescue and saving of volunteers, staff, and guests, all designated dive safety officers, team leaders, or dive person(s) in charge may act in variance of the dive operation procedures established in this manual. Any diver may deviate from the requirements of this manual to the extent necessary to prevent or minimize a situation that is likely to cause death, physical harm, or major environmental damage. A written report of such actions must be submitted to the Diving Control Board via the Diving Safety Officer explaining the circumstances and justifications.

1.12 Scientific Diving Definition

In 1982, OSHA exempted scientific diving from commercial diving regulations (29 CFR Part 1910, Subpart T) under certain conditions that are outlined below. The final guidelines for the exemption became effective in 1985 (Federal Register, Vol. 50, No.6, p.1046). The AAUS are recognized by OSHA as the scientific diving standard setting organization.

Scientific diving is defined (29 CFR 1910.402) as diving performed solely as a necessary part of a scientific, research, or educational activity by staff (both paid and unpaid) whose sole purpose for diving is to perform scientific research tasks. For dives classified under the Scientific Exemption, SCA uses American Academy of Underwater Sciences (AAUS) for recognized scientific diving programs, the organization for the conduct of these programs, and the basic regulations and procedures for safety in scientific diving operations. It also establishes a framework for reciprocity between AAUS organizational members that adhere to these standards.

1.13 Scientific Diving Exemption

OSHA has granted an exemption for scientific diving from commercial diving regulations under the following guidelines (29 CFR Part 1910 Subpart T Appendix B):

- The Diving Control Board consists of a majority of active scientific divers and has autonomous and absolute authority over the scientific diving program's operation.
- The purpose of the project using scientific diving is the advancement of science; therefore, information and data resulting from the project are non-proprietary.
- The tasks of a scientific diver are those of an observer and data gatherer. Construction and troubleshooting tasks traditionally associated with commercial diving are not included within scientific diving.
- Scientific divers, based on the nature of their activities, must use scientific expertise in studying the underwater environment, and therefore are scientists or scientists-in-training.

In addition, the scientific diving program shall contain at least the following elements (29CFR1910.401):

- Diving safety manual which includes at a minimum: Procedures covering all diving operations specific to the program; including procedures for emergency care, recompression and evacuation; and the criteria for diver training and certification.
- Diving control (safety) board, with the majority of its members being active scientific divers, which
 shall at a minimum have the authority to: approve and monitor diving projects, review and revise
 the diving safety manual, assure compliance with the manual, certify the depths to which a diver has
 been trained, take disciplinary action for unsafe practices, and assure adherence to the buddy system
 (a diver is accompanied by and is in continuous contact with another diver in the water) for SCUBA
 diving.

(See Appendix 1 OSHA Guidelines for Scientific Diving)

1.14 Association of Diving Contractors International - Commercial Diving Standards

Included in the OSHA commercial diving standards revision dated August 11, 2006, OSHA and the U.S. Coast Guard officially recognize the Association of Diving Contractors International (ADCI) standards as the "best established industry practices." The official statement is as follows:

OSHA recognizes the ADCI Consensus Standards for Commercial Diving and Underwater Operations as meeting the general requirements of 29 CFR 1910.420 for a safe practices manual. The contents of this document meet or exceed the requirements of 29 CFR 1910, Subpart T. For diving-related operational, maintenance, and testing matters that are not addressed by OSHA standards, OSHA recognizes ADCI standards as the best established industry practice.

OSHA's recognition of the ADCI standards is consistent with the position taken by the U.S. Coast Guard. In a letter from the U.S. Coast Guard, Chief, Office of Compliance, to the ADCI dated February 9, 2005, the U.S. Coast Guard stated, "Of significance, ADCI's Consensus Standards for Commercial Diving and Underwater Operations fully meet and exceed the Coast Guard's regulatory requirements for commercial diving operations found in 46 CFR 197. Now in its fifth edition, the ADCI Consensus Standards are considered commercial diving industry best practices and are recognized and used by the United States Coast Guard as our comprehensive guidance document."

1.15 Exemption from Federal OSHA Commercial Diving Standards

29 CFR Part 1910, Subpart T, Appendix B (FEDERAL AND STATE AUTHORITY)

Federal OSHA's commercial diving standard covers private-sector employers in federal enforcement States, and employers who dive in association with maritime standards (i.e., shipyard employment, longshoring, and marine terminals) when these operations are not covered by a State with an OSHA-approved State-Plan State and local government employees are covered by the commercial diving standard only in States with State-Plans.

Twenty-one States and one Territory have OSHA-approved State-Plans covering both private and public sector employment: Alaska, Arizona, California, Hawaii, Indiana, Iowa, Kentucky, Maryland, Michigan, Minnesota, Oregon, Nevada, New Mexico, North Carolina, Puerto Rico, South Carolina, Tennessee, Utah, Vermont, Virginia, Washington and Wyoming.

Three States and one Territory (Connecticut, New Jersey, New York and the U.S. Virgin Islands) have approved plans covering State and local government employment only.

California, Michigan, Oregon, and Washington have promulgated State diving standards which differ from the federal standards. The other State-Plans have promulgated diving standards identical to the federal standards at 29 CFR Part 1910, Subpart T.

California, Minnesota, Vermont, and Washington cover certain private sector maritime operations (i.e., shore-based shipyard employment and marine terminals) under their State-Plans. State coverage is set out in the text of this directive and in the appropriate subparts of 29 CFR Part 1952, and is generally limited to shore-based activities not on the navigable waters (graving docks and marine railways are part of navigable waters). For specific guidance, see Section XV, paragraph 9(c) of this directive. Also, Oregon covers commercial diving from all shore-side locations (for definition of dive location see Section XV, paragraph B.11), even in maritime operations such as shipyard employment and marine terminals.

1.16 Review of Standards

An annual report and review of diving activities shall be prepared and submitted to the Diving Control Board (DCB) by The South Carolina Aquarium Diving Safety Officer. At this time any recommendations for modifications of these standards shall be submitted to the DCB for consideration. As part of each organizational member's annual report, any recommendations for modifications of the scientific standards shall be submitted to the AAUS for consideration.

1.17 Liability

In adopting the policies set forth in this manual, The South Carolina Aquarium assumes no liability not otherwise imposed by law. Outside of those South Carolina Aquarium staff members diving in the course of their employment, each diver is assumed under this policy to be voluntarily performing activities for which he/she assumes all risks, consequences, and potential liability.

(See Appendix 10 Liability Release and Assumption of Risk)

1.20 Operational Control

1.21 The South Carolina Aquarium Auspices Defined

For the purposes of these standards, the auspices of The South Carolina Aquarium includes any diving operation in which The South Carolina Aquarium is connected because of ownership of any equipment used, locations selected, or relationship with the individual(s) concerned. This includes all cases involving the operations of employees of The South Carolina Aquarium, where such employees are acting within the scope of their employment, the operations of The South Carolina Aquarium volunteers and other persons who are engaged in diving with The South Carolina Aquarium.

It is The South Carolina Aquarium's responsibility to adhere to the OSHA guidelines set forth in the South Carolina Aquarium Dive Safety and Operations Manual. The South Carolina Aquarium will appoint a Diving Safety Officer, and a Diving Control Board to oversee all diving operations. The administration of the diving program will reside with the Diving Control Board (DCB). The decisions of the Diving Control Board shall be final.

The regulations herein shall be observed at all locations where diving is conducted.

1.22 The South Carolina Aquarium's Diving Safety Manual

The South Carolina Aquarium shall develop and maintain a diving safety manual that provides for the development and implementation of policies and procedures that will enable it to meet requirements of local environments and conditions as well as to comply with OSHA dive guidelines. The South Carolina Aquarium's diving standards shall include, but not be limited to:

- OSHA commercial dive guidelines
- The AAUS Standards have been used as a set of minimal guidelines for the development of the South Carolina Aquarium's scientific diving safety program.
- Emergency evacuation and medical treatment procedures.
- The criteria for diver training and certification.
- Standards written or adopted by reference for each diving mode utilized which include the following:
 - o Safety procedures for the diving operation.
 - o Responsibilities of the dive team members.
 - o Equipment use and maintenance procedures.
 - o Emergency procedures.

1.23 The Diving Safety Officer (DSO)

The Diving Safety Officer (DSO) serves as a member of the Diving Control Board. He/She should have broad technical and scientific expertise in related diving.

Qualifications:

Shall be appointed by the Executive Director of the South Carolina Aquarium or his/her
designee, with the advice and counsel of the Diving Control Board (DCB). Reports to the
DCB for issues pertaining to daily diving activities, record keeping, diver training and
safety.

- Shall be trained as a scientific diver.
- Shall be a member as defined by the AAUS.
- Shall be an active underwater SCUBA diving instructor certified through an internationally recognized dive training agency.
- Shall be a paid staff member.

Duties and Responsibilities:

- Shall be responsible, through the DCB, to the Executive Director of the South Carolina Aquarium or his/her designee, for the conduct of the diving program of the South Carolina Aquarium. The routine operational authority for this program, including the conduct of training and certification, approval of dive plans, maintenance of diving records, and ensuring compliance with this manual and all relevant regulations of The South Carolina Aquarium, rests with the Diving Safety Officer.
- May permit portions of this program to be carried out by a qualified delegate, although the Diving Safety Officer may not delegate responsibility for the safe conduct of the local diving program.
- Shall be guided in the performance of the required duties by the advice of the DCB, but the Diving Safety Officer will retain operational responsibility for the conduct of the local diving program.
- Shall suspend diving operations that he/she considers to be unsafe or unwise.
- Shall develop, in conjunction with the Diving Control Board chair, the agenda for the DCB meetings and file yearly reports.

1.24 The Diving Control Board

The Diving Control Board (DCB) shall consist of a majority of active divers. Voting members shall include the Diving Safety Officer, the responsible administrative officer, or his/her designee, and should include other representatives of the diving program such as qualified divers and members selected by procedures established by The South Carolina Aquarium. A chairperson and a secretary may be chosen from the membership of the board according to local procedure. The DCB will meet annually unless merited by extenuating circumstances.

South Carolina Aquarium voting members shall include:

- Director of Husbandry and Facilities
- DSO
- Paid Husbandry staff diver
- 3 Active Volunteer diver representatives
- Curator
- Medical Advisor
- Assistant Dive Safety Officer (ADSO)

The Diving Control Board:

- Has autonomous and absolute authority over the diving program's operation.
- Shall approve and monitor diving projects.
- Shall review and revise the diving safety manual.

- Shall assure compliance with the manual.
- Shall certify the depths to which a diver has been trained.
- Shall take disciplinary action for unsafe practices.
- Shall assure adherence to proper staffing requirements for all diving.
- Is the final board of appeal to consider diver-related problems.
- Recommends the issue, re-issue, or the revocation of diving certificates.
- Recommends changes in policy and amendments to The South Carolina Aquarium Diving Safety Manual as the need arises.
- Establishes and/or approves training programs through which the applicants for certification can satisfy the requirements of this manual.
- Shall suspend diving programs that it considers to be unsafe or unwise.
- Shall establish criteria for equipment selection and use.
- Shall recommend new equipment or techniques.
- Shall establish and/or approve facilities for the inspection and maintenance of diving and associated equipment.
- Shall ensure that The South Carolina Aquarium's air station(s) meet air quality standards as described in Section 3.60 of this manual.
- Shall periodically review the Diving Safety Officer's performance and program.
- Shall sit as a board of investigation to inquire into the nature and cause of diving accidents or violations of this manual.
- Is committed to and recognizes that open water diving requirements are different from that of confined water (exhibit) diving and always maintains a clear distinction between the two.
- Understands and promotes the benefits of diver supervision (as outlined in this manual) but believes that ultimate responsibility for diving competency and proper (safe) dive planning and execution lies with the individual diver or team.
- Understands that "entry-level" diver training only qualifies a diver to engage in open water diving activities under supervision, provided the diving activities, methods/techniques, sea/weather conditions, equipment, and areas dived approximate those in which the diver has been trained.
- The DSO of The South Carolina Aquarium, or his/her designee, shall act as the official representative of The South Carolina Aquarium DCB in matters concerning the diving program.

1.25 Instructional Personnel

Qualifications:

• All personnel involved in diving instruction under the auspices of The South Carolina Aquarium shall be qualified for the type of instruction being given.

Selection:

• The Diving Safety Officer or his/her designee, who will solicit the advice of the DCB in conducting preliminary screening of applicants for instructional positions, will select instructional personnel. All instructional personnel must be active and insured with their respective diver training organization.

1.26 Dive Person in Charge

For each dive, one paid staff individual shall be designated as the Dive Person in Charge (DPIC). He/she shall be at the location during the diving operation.

The DPIC shall be responsible for:

- Coordination with other known activities in the vicinity that are likely to interfere with diving operations.
- Ensuring all dive team members possess current certification and are qualified for the type of diving operation.
- Planning dives in accordance with Section 2.21
- Ensuring that all divers make the required safety stop upon ascent.
- Ensuring safety and emergency equipment is in working order and at the dive site.
- Briefing the dive team members on:
 - o Dive objectives.
 - o Unusual hazards or environmental conditions likely to affect the safety of the dive.
 - Modifications to diving or emergency procedures necessitated by the specific diving operation.
- Suspending diving operations if in his/her opinion conditions are not safe.
- Reporting to the DSO and DCB any physical problems or adverse physiological effects including, but not limited to, symptoms of pressure-related injuries.

1.30 Reciprocity and Visiting Scientific Diver

Two or more AAUS Organizational Members engaged jointly in diving activities, or engaged jointly in the use of diving resources, shall designate one of the participating Diving Control Boards to govern the joint dive project.

A diver from The South Carolina Aquarium shall apply for permission to dive under the auspices of another Organizational Member by submitting to the Diving Safety Officer of the host Organizational Member a document containing all the information described in Appendix 7. (Letter of Reciprocity) signed by the Diving Safety Officer, Assistant Dive Safety Officer, or Chairperson of the South Carolina Aquarium Diving Control Board.

A visiting diver may be asked to demonstrate his/her knowledge and skills for the planned diving. An example of items to be demonstrated is presented in Section 5.20.

If a host Organizational Member denies a visiting diver permission to dive, the host Diving Control Board shall notify the visiting diver and his/her Diving Control Board with an explanation of all reasons for the denial.

1.40 Waiver of Requirements

The South Carolina Aquarium Diving Control Board may grant a waiver for specific requirements of training, examinations, depth certification, and minimum activity to maintain certification. Medical examination requirements may not be waived.

1.50 Consequences of Violations of Regulations by SCA Divers

Failure to comply with the regulations of The South Carolina Aquarium's Diving Manual may be cause for the revocation or restriction of the diver's diving privilege by action of The South Carolina Aquarium's Diving Control Board.

SCA divers found in violation of any dive standards shall be subject to immediate verbal and written warning. A copy of the warning shall be sent to the diver's supervisor for record keeping purposes and performance evaluation. One serious offense, two violations of the same standard or three total violations shall result in temporary suspension from active dive status. Continued violation of the standards shall be managed on a case by case basis.

1.60 CONSEQUENCES OF VIOLATION OF REGULATIONS BY ORGANIZATIONAL MEMBERS

Failure to comply with the regulations of this standard may be cause for the revocation or restriction of The South Carolina Aquarium's recognition by the AAUS and potential OSHA violations.

1.70 RECORD MAINTENANCE

The Diving Safety Officer or his/her designee shall maintain permanent records for each individual diver certified. The file shall include evidence of certification level, log sheets, results of current physical examination, waiver, reports of disciplinary actions by the organizational member Diving Control Board, and other pertinent information deemed necessary. Availability of Records:

Medical records shall be available to the attending physician of a diver or former diver when released in writing by the diver.

The South Carolina Aquarium shall retain records and documents required by this standard for the following period:

- Physician's written reports of medical examinations for dive team members 5 years.
- Manual for diving safety current document only.
- Records of dive 1 year, except 5 years where there has been an incident of pressure related injury.
- Pressure-related injury assessment 5 years.
- Equipment inspection and testing records current entry or tag, or until equipment is withdrawn from service.

SECTION 2.00 DIVING REGULATIONS FOR SCUBA (OPEN CIRCUIT, COMPRESSED AIR)

2.10 Introduction

No person shall engage in diving operations under the auspices of The South Carolina Aquarium diving program unless he/she holds a current certificate issued pursuant to the provisions of this manual.

2.20 Pre-Dive Procedures

2.21 Dive Plans

All exhibit and open water diving should be planned around the competency of the least experienced diver. Before conducting any diving operations under the auspices of The South Carolina Aquarium, the DPIC for a proposed operation must formulate a dive plan that should include the following:

- Diver qualifications and the type of certificate or certification held by each diver.
- Each staff diver shall be currently certified, trained, and qualified for the diving mode being used, and each dive team member shall have experience or training in the following:
 - o The use of the instruments and equipment appropriate to the diving activity to be conducted.
 - o Dive planning and emergency procedures.
 - Diving-related physics and physiology, recognition of pressure related injuries, and the appropriate emergency treatments.

2.22 Emergency plan (see Appendix 8) should be filled out with the following information:

- Name; telephone number, and relationship of person to be contacted for each diver in the event of an emergency.
- Nearest operational recompression chamber
- Nearest accessible hospital
- Available means of transport
- Approximate number of proposed dives.
- Location(s) of proposed dives.
- Estimated depth(s) and bottom time(s) anticipated.
- Decompression status and repetitive dive plans, if required.
- Proposed work, equipment, and boats to be employed.
- Any hazardous conditions anticipated

2.23 Pre-dive Safety Checks

Diver's Responsibility:

- Each diver shall conduct a functional check of his/her diving equipment in the presence of the diving buddy, tender, or standby.
- It is the diver's responsibility and duty to refuse to dive if, in his/her judgment, conditions are unfavorable, or if he/she would be violating the precepts of his/her training, of this manual, or the organizational member's diving manual.
- No dive team member shall be required to be exposed to hyperbaric conditions against his/her will, except when necessary to prevent or treat a pressure-related injury.
- No dive team member shall be permitted to dive for the duration of any known condition which is likely to adversely affect the safety and health of the diver or other dive members.

- A mandatory safety stop shall be made at 15' for 3 minutes before exiting the water during open water diving and dives in the Great Ocean Tank.
- The diver shall terminate the dive while there is still sufficient tank pressure to permit the diver to safely reach the surface including safety stops.

Equipment Evaluations:

- Each diver shall insure that his/her equipment is in proper working order and that the equipment is suitable for the type of diving operation.
- Each diver shall have the capability of achieving and maintaining positive buoyancy throughout the dive.

Site Evaluation:

• The environmental conditions at the site will be evaluated.

2.30 Diving Procedures

2.31 Solo Diving Prohibition

All diving under the auspices of The South Carolina Aquarium shall be planned and executed in such a manner as to ensure proper manning requirements and constant effective communication based on the job task and dive environment.

Diving should be planned around the competency of the least experienced person. If loss of effective communication occurs within a team, all persons in that team shall surface and re-establish contact.

Normal diving procedure in the GOT permits at least two divers on SCUBA to work together (one Safety diver and one or more Working diver(s)) in conjunction with a Standby diver and a DPIC.

A standby diver shall be available topside at the dive location while divers are in the water for all operation in the Great Ocean Tank. The Standby Diver must be trained and willing to respond in an emergency.

An in-water Safety diver is required for all normal commercial dive operations in the Great Ocean Tank.

Under special considerations and approval from DPIC, a SCUBA diver on full face mask communications can be line tended and have a standby diver on ready.

Open water diving requires a buddy system for divers on SCUBA for all dives. A Standby diver will be available on the boat or shore.

2.32 Refusal to Dive

The decision to dive is that of the diver. A diver may refuse to dive, without fear of penalty, whenever he/she feels it is unsafe for them to make the dive (see Section 2.23).

Safety - The ultimate responsibility for safety rests with the individual diver. It is the diver's responsibility and duty to refuse to dive if, in his/her judgment, conditions are unsafe or unfavorable, or if he/she would be violating the precepts of his/her training or the regulations in this manual.

2.33 Termination of the Dive

It is the responsibility of the diver to terminate the dive, without fear of penalty, whenever he/she feels it is unsafe to continue the dive, unless it compromises the safety of another diver already in the water (see Section 2.23).

The dive shall be terminated while there is still sufficient cylinder pressure to permit the diver to safely reach the surface, including decompression time, or to safely reach an additional air source at the decompression station.

2.34 Emergency Deviation from Standards

Any diver may deviate from the requirements of this manual to the extent necessary to prevent or minimize a situation that is likely to cause death, serious physical harm, or major environmental damage. A written report of such actions must be submitted to the Diving Control Board explaining the circumstances and justifications

2.35 Enclosed or Confined Spaces

Where an enclosed or confined space is not large enough for two divers, a diver shall be stationed at the underwater point of entry and an orientation line shall be used. Divers participating in SCA-sanctioned open water diving, are not authorized to enter overhead environments unless the buddy team is trained, has the need, been approved by the DSO, and is equipped and certified to do so.

2.40 Post-Dive Procedures

2.41 Post Dive Safety Check

After the completion of a dive, each diver shall report any physical problems, symptoms of decompression sickness, or equipment malfunctions.

If a diver accidentally exceeds the no-decompression limits, he/she should remain awake for at least one hour after diving, and in the company of a dive team member who is prepared to transport him/her to a hyperbaric chamber if necessary.

2.50 Emergency Procedures

Diving shall not be conducted unless procedures have been established for emergency evacuation of the diver(s) to a hyperbaric chamber or appropriate medical facility, and these procedures have been approved by The South Carolina Aquarium Diving Control Board. (Appendix 8)

2.51 Open Water Diving Emergency Procedures

These procedures should be followed in the event of an accident (unless otherwise specified):

On a boat:

- o Administer proper First Aid, including oxygen, CPR, and AED
- o Notify the nearest Coast Guard Base—VHF Radio Ch. 16; coordinate emergency response and transportation procedures with them.
- Record dive profile, personal information and accident/symptom descriptions for emergency personnel. (Appendix 9)

- o Notify the Divers Alert network (DAN) at 1-800-446-2671 or (919) 684-9111.
- Notify the DSO

On land, off property:

- o Administer proper First Aid, including oxygen, CPR, and AED
- o Notify the Emergency Medical System (EMS)- Telephone # 911.
- o Advise the EMS of your situation and location; coordinate emergency response and transportation procedures with them.
- Record dive profile, personal information and accident/symptom descriptions for emergency personnel. (Appendix 9)
- o Notify the Divers Alert network (DAN) at 1-800-446-2671 or (919) 684-9111.
- o Notify the DSO

2.52 Exhibit Diving Emergency Procedures:

Administer proper First Aid, including oxygen, CPR, and AED.

Call the South Carolina Aquarium Security on channel 1 or at 579-8507.

DO NOT CALL 911—Security will coordinate the response with in-house personnel, the EMS and contact the DSO.

Describe your location, emergency situation and any specifics needed to help with the response.

Exhibit Diver Evacuation Procedures

The objective of these procedures is to preserve life, prevent further injury or worsening of a condition, and promote recovery.

Great Ocean Tank: Activate alarm system. Stabilize victim at surface. Extract diver with Stokes Basket. Check for pulse and breathing. Administer CPR, AED, Emergency Oxygen and First Aid if required.

Carolina Seas: Activate alarm system. Stabilize victim at surface. Extract diver with cinch collar. Check for pulse and breathing. Administer CPR, AED, Emergency Oxygen and First Aid if required.

Ocean Floor Transect, Rocky Reef, Saltmarsh, Sea Turtles, Shark Shallows and Other Small Exhibits or Backup tanks: Notify Security at once via phone or radio. Stabilize victim at surface. Extract diver with spine board. Check for pulse and breathing. Administer CPR, AED, Emergency Oxygen and First Aid if required.

First Aid Supplies

There is a Backboard, DAN Oxygen Kit (O2), AED, First Aid Kit, Ring Buoy, Stokes Basket and a 15' Rescue Hook located at the entrance to the Great Ocean Tank.

There is a First Aid Kit, Backboard and Cinch Collar located at Carolina Seas.

There is a First Aid Kit and Backboard available at all other exhibits.

There is an Emergency Oxygen unit attached to the surface supply cart.

There is an Automated External Defibrillator (AED) located on each floor of the aquarium.

A First Aid Kit, Emergency Oxygen Unit, and AED will be available at all open water dive sites.

First Aid Procedures

The following information outlines the first aid procedures for diving-related injuries. Professional medical treatment procedures will not be discussed; only immediate and temporary aid is described.

First Aid Priorities - Primary Assessment

In the event of an accident or sudden illness, it is necessary to act quickly; but it is equally important to know what to do and what the correct priority for action is. For example, both a superficial cut and respiratory failure require immediate action. However, should both problems occur simultaneously, first aid priorities (in addition to common sense) dictate that response to the respiratory failure should occur before attending to the superficial cut. Diving related causes of respiratory failure include obstructed airway, near drowning, cardiac failure (most common in diving emergencies), head injuries, adverse (allergic) reaction to marine-life wounds (poison), or decompression illness (DCI).

A *Primary Assessment* is to be done in the position in which the victim is found except when the victim must be removed from a life-threatening situation. Examples, surfacing an unconscious, non-breathing diver. Listed in correct order are the steps included in a primary assessment:

- 1) AROUSAL/CHECK FOR CONSCIOUSNESS
- 2) CHECK FOR PULSE
- 3) ESTABLISH AN AIRWAY
- 4) CHECK FOR BREATHING
- 5) CHECK FOR BLEEDING
- 6) SHOCK MANAGEMENT

Unconscious Diver

In the event that a diver is found unconscious in the Great Ocean Tank or other exhibits, the following steps should be taken:

- 1) Activate alarm system. Security will notify 911 and the DSO
- 2) Get diver to platform.
- 3) Remove gear from diver. (*Do not disassemble the patient's gear*)
- 4) Get diver on Stokes basket, cinch collar, or spine board depending on exhibit
- 5) Remove patient from water.
- 6) Make a Primary Assessment
- 7) Start **CPR** at once if needed.
- 8) Ready the AED
- 9) Provide Oxygen First Aid.

Evacuating Diver

In the event of a diving related emergency, the diver will need to be transported. DO NOT ATTEMPT TO TRANSPORT DIVER VIA THE FREIGHT ELEVATOR. Notify security of your location, stabilize the patient there and wait for EMS to respond. Wait with stabilized patient at the original location until the arrival of EMS, at which time EMS will transport patient down the elevator. Once Security has activated EMS (9-1-1), they will dispatch an individual to position Freight Elevator.

Basic Life Support

A primary assessment of a patient may indicate the need for **Basic Life Support**.

BLS includes those emergency lifesaving procedures designed to treat failure of the respiratory or cardiovascular system. Diving-related causes of respiratory failure include obstructed airway, near drowning, cardiac failure, head injury, and severe reaction to marine-life wounds or poisoning. When a patient does not respond to being aroused during a primary assessment, place him in a horizontal position, face up, and on a firm surface. Quickly loosen the wet suit or remove restrictive equipment.

When an individual is in a life-threatening position, the following steps should be taken:

- 1) Activate diver alarm.
- 2) Security will notify DSO and husbandry staff.

- 3) Begin **CPR** if needed. Once CPR is started, continue until spontaneous breathing and heartbeat occur or until patient is turned over to another equally trained person.
- 4) Ready AED as soon as possible
- 5) Provide 100% emergency oxygen
- 6) Once EMS has arrived at The South Carolina Aquarium they will be escorted by security to location of the patient.
- 7) Patient will be turned over to EMS, and SCA personnel will assist EMS with evacuating patient.

2.60 Flying After Diving Or Ascending to Altitude (over 1000 feet)

- Following a Single No-Decompression Dive: Divers should have a minimum preflight surface interval of 12 hours.
- Following Multiple Dives per Day or Multiple Days of Diving: Divers should have a minimum preflight surface interval of 18 hours.
- Following Dives Requiring Decompression Stops: Divers should have a minimum preflight surface interval of 24 hours.
- Before ascending to Altitude above (1000 feet) by Land Transport: Divers should follow the appropriate guideline for preflight surface intervals unless the decompression procedure used has accounted for the increase in elevation.

2.70 Recordkeeping and Requirements

2.71 Personal Diving Log

Each diver shall log every dive made under the auspices of The South Carolina Aquarium's program, and is encouraged to log all other dives. All divers will record their daily dives in the written dive log kept by the DSO. All divers will also record their dives on the computerized individual dive log at http://sca.diveaaus.com/. All logs will be accessible by the DSO at any time for review but may be read-only protected by individuals to prevent tampering. The dive log shall be in a format specified by the organization and/or shall include the following:

- Name of diver and buddy
- Date and location
- Diving modes used.
- General nature of diving activity
- Approximate surface and water conditions (open water)
- Maximum depth, bottom and surface-interval times
- Diving tables or computers used
- Detailed report of any near or actual incidents.

2.72 Required Incident Reporting

All diving incidents requiring recompression treatment, hospitalization of more than 24 hours, or resulting in moderate or serious injury, or death shall be reported to The South Carolina Aquarium's Diving Control Board and AAUS for scientific dives. The South Carolina Aquarium's regular procedures for incident reporting, including those required by the OSHA, shall be followed. The report will specify the circumstances of the incident and the extent of any injuries or illnesses.

Additional information must meet the following reporting requirements:

The South Carolina Aquarium shall record and report occupational injuries and illnesses in accordance with requirements of the appropriate Labor Code Section and The South Carolina Aquarium policy. If pressure-related injuries are suspected, or if symptoms are evident, the following additional information shall be recorded and retained by the organizational member, with the record of the dive, for a period of 5 years:

The acting DPIC shall complete the Incident Report Form (Appendix9).

Written descriptive report to include:

- Name, address, phone numbers of the principal parties involved.
- Summary of experience of divers involved.
- Location, description of dive sites and description of conditions that led up to incident.
- Description of symptoms, including depth and time of onset.
- Description and results of treatment.
- Disposition of case.
- Recommendations to avoid repetition of incident.

The DSO shall investigate and document any incident of pressure-related injury and prepare a report that is to be forwarded to the AAUS during the annual reporting cycle. This report must first be reviewed and released by the Diving Control Board.

SECTION 3.00 DIVING EQUIPMENT

3.10 General Policy

All equipment shall meet standards as determined by the Diving Safety Officer and the Diving Control Board. Equipment that is subjected to extreme usage under adverse conditions should require more frequent testing and maintenance. Equipment such as full facemasks, regulators, SCUBA bottles, BC's, reserve breathing supplies, etc., that provide direct life support shall be the type familiar to the diver and subject to a planned maintenance system. Due to the life-support nature of diving, personnel involved in the operation, maintenance, and repair of diving systems and equipment shall have appropriate training and experience in the type of equipment used. The Dive Office shall ensure that all diving systems and equipment have been examined and tested to the extent necessary to determine its condition and suitability for service.

All equipment shall be regularly examined by the person using them.

3.20 Equipment

3.21 Regulators

- Only those makes and models specifically approved by the Diving Safety Officer and the Diving Control Board shall be used.
- Inspection and testing.
- SCUBA regulators shall be inspected and tested prior to first use and every six months thereafter.
- Be serviced annually or more frequently in accordance with the manufacturer's recommendations.
- Primary regulators will consist of a first stage, primary second stage, a pressure gauge, and an alternate air source, (such as an octopus second stage or redundant air supply) and a low pressure inflator (LPI) hose.
- Reserve Air Systems will have a first stage, second stage, and a pressure gauge.
- Regulators shall be able to deliver the proper pressure and flow to the diver.
- Regulators shall be fitted with a dust cap.

3.22 Breathing Full Face Masks and Helmets

Breathing masks and helmets shall:

- Contain a first stage, second stage, LPI hose, and HP pressure gauge when used for SCUBA.
- Be serviced annually in accordance with the manufactures recommendations
- Have a visual and performance test including a check of the intermediate and inhalation break pressures every six months.
- Be fitted with a dust cap.
- Have a non-return valve at the attachment point between helmet or mask hose, which shall close readily and positively.
- Have an exhaust valve.
- Have a minimum ventilation rate capable of maintaining the diver at the depth to which he/she is diving.

3.23 SCUBA Cylinders

- SCUBA cylinders shall be designed, constructed, and maintained in accordance with the applicable provisions of the Unfired Pressure Vessel Safety Orders.
- SCUBA cylinders must be hydrostatically tested every 5 years in accordance with DOT/CGA standards.
- SCUBA cylinders must have an internal inspection at intervals not to exceed twelve months.
- SCUBA cylinder valves shall be functionally tested at intervals not to exceed twelve months.

3.24 Diver's Dress

Diver's dress shall be suitable for the job intended, considering such factors as thermal conditions, and may include the following:

- Full wetsuit or drysuits
- Neoprene booties
- Gloves
- Hood

Divers must keep them clean, disinfected, and presentable.

3.25 Harnesses

Harnesses shall:

- Be made of material of suitable strength to lift the diver and their equipment from the water
- Have a mechanical quick release between the harness and the umbilical during commercial operations
- Be constructed and fitted to prevent an unconscious diver from slipping free of the harness, or from a strain being placed on the full facemask or regulator
- Shall be capable of a quick release of the weight system
- Be designed to prevent restriction of the diver's breathing when their full weight is supported by the harness
- A positive buckling device when used for surface-supplied diving

3.26 Weight Belts

Weight belts shall:

- Be of sufficient weight to maintain the diver at the working depth or at neutral buoyancy
- Not be used as an attachment point for the diving umbilical during surface-supplied dive operations
- Be capable of quick release
- Be attached to the diver in a manner to avoid accidental disengagement
- BCD's with integrated weight systems may be used

3.27 Diver-Carried Reserve Breathing Supply

Reserve breathing supply shall:

- Have a cylinder meeting Section 3.23
- Have a regulator on the cylinder capable of delivering the proper pressure and flow to the diver
- Have a means of attachment which prevents accidental detachment
- Be of sufficient capacity to permit return of the diver to the surface at a travel rate of
- 33 ft. (10m) per minute.

*NOTE FROM FED OSHA 29 CFR 1910.424(c)(4)(5): A Spare Air® bottle, or equivalent device, that is attached positively to the diver by a suitable line (so that the bottle is not lost if dropped) is sufficient as an independent reserve cylinder, provided that it meets the emergency air volume requirements for the dive profile. Spare Air® is the trade name for a small, high-pressure air bottle with an attached breathing regulator that is designed for use as an emergency-air source.

3.28 Hoses

General

Flexible hoses used with diving systems or equipment shall:

- Have a minimum burst pressure equal to four (4) times the Maximum Allowable Working Pressure (M.A.W.P.)
- Have a M.A.W.P. and flow rating not less than the system in which it is installed or used and be suitable for the service intended
- Have connectors with pressure capability equal to or greater than the hose on which they are installed, made of corrosion-resistant materials, and be resistant to accidental disengagement from either the hose or mating connector
- Be kink resistant or arranged to prevent kinking
- Be subjected to annual visual examination and pressure test to 1.5 times the working pressure
- Have their open ends taped, capped or plugged when not in use

Breathing Gas Hoses

Breathing gas hose assemblies shall:

- Be made of corrosion-resistant materials including cadmium or zinc plated material
- Be suitable for breathing gas service
- Have a maximum allowable working pressure equal to or greater than maximum depth of dive relative to supply source plus 150 PSI
- Be of suitable design to prevent collapse when used for operation with higher external pressure than internal pressure
- Be resistant to accidental disengagement from either the hose or the mating connector

3.29 Umbilicals

South Carolina Aquarium dive umbilicals used for commercial operations shall:

- Be subjected to a planned annual maintenance program
- Consist of a breathing hose, communications cable, and strength member rating
- Have strength members made of material unaffected by immersion in water for extended periods
- Be marked in 10-ft increments to 100 feet beginning at the diver and then 50-ft increments thereafter.

3.30 Flotation Devices

- Each diver shall have the capability of achieving and maintaining positive buoyancy.
- Personal flotation systems, buoyancy compensators, dry suits, or other variable volume buoyancy compensation devices shall be equipped with an exhaust valve.
- These devices shall be functionally inspected and tested at intervals not to exceed twelve months.
- For all open water dives, or exhibit dives with SCUBA gear, each diver shall wear equipment that has been approved by the DCB
 - o Drysuits are not to be used without a separate buoyancy control device (BCD).

- o BCDs are not required by divers diving in the exhibits while on surface supplied diving mode.
- o BCDs must be capable of providing the diver with positive floatation at the surface.
- Wetsuits, drysuits and BCDs are not acceptable substitutes for the Coast Guard approved personal floatation devices required for the operator and all passengers on boats.

3.31 Timing Devices, Depth and Pressure Gauges During Open-Water Dives

- Both members of the diving pair must have an underwater timing device, an approved depth indicator, and a submersible pressure gauge. Depth gauges are not required in the exhibits, since all exhibit diving is conducted with known max depths. Depth gauges will always be used for open water diving activities.
- Gauges shall be inspected and tested before first use and every twelve months thereafter.
- Submersible pressure gauges shall be tested against a master gauge at intervals not to exceed six months.
- Each depth gauge shall be tested or calibrated every six months and when there is reasonable cause to believe a discrepancy exists

3.32 Determination of Decompression Status: Dive Tables, Dive Computers

A set of diving tables, approved by the Diving Control Board, must be available at the dive location. These tables must be as conservative as the United States Navy Diving Tables, and the SCA divers will not exceed the No Decompression Limits (NDLs) or Maximum Dive Times (MDTs).

Dive computers may be utilized in place of diving tables, and must be approved by the Diving Control Board. Dive Computer training is required.

See Section 3.46 for recommendations on dive computers.

3.33 Dive Tables

No Decompression Table

The US Navy Diving No-Decompression table (Table 9-7) gives the maximum time that can be spent at a given depth without the need for decompression stops during the subsequent ascent to the surface. At depths of 20 FSW and shallower, there is no limit on the amount of time that can be spent at depth. Deeper than 20 FSW, the time that can be spent is limited.

The No-Decompression Table also provides the repetitive group designators for dives that fall within the no-decompression limits. Even though no decompression stops are required during ascent, the diver still surfaces with some residual nitrogen in their tissues. This residual nitrogen needs to be accounted for if a repetitive dive is planned.

Table 9-7 No-Decompression Limits and Repetitive Group Designators for No-Decompression Dives																	
depth	th No-Stop Time Repetitive Group Designation (RGD)																
(fsw)	Limit	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	O	Z
10	Unlimited	57	101	158	245	426	*	1	1								
15	Unlimited	36	60	88	121	163	217	297	449	*	1	1					
20	Unlimited	26	43	61	82.	106	133	165	2.05	256	330	461	*		I		I
25	595	20	33	47	62		97	117	140			236				595	
30	371	17	27	38			76	91	107	125	145				260	307	371
35	232	14	23	32	42	52	63	74	87	100			148		190		
40	163	12	20	2.7	36		53	63	73	84	95	108		135	151	163	ı
45	125	_11	17_	24	31	39	46	_55	63	72	82	92	102	114	125		
50	92	9	15		28	34	41	48	56	63	71	80	89	92			
55	74	8	14	19	25	31	_37	43	_50	_56	63	71	74				
60	60	7	12.	17	2.2.	2.8	33	39	45	51	57	60					
70	48	6	10	14	19	23	28	32	37	42	47	48					
80	39	5	9	12	16		24	28	32	36	39						
90	30	4	7	11	14		21	24		30							
100	25	4	6	9	12	15	18	21	25								
110	20	3	6	8	11	14	16	19	20								
120	15	3	5	7	10	12	15										
130	10	2	4	6	9	10											
140	10	2	4	6	8	10											
150	5	2	3	5													

^{*}Highest repetitive group that can be achieved at this depth regardless of bottom time

Figure 9-7 U.S. Navy Diving Manual – Volume 2 Revision 6 pg. 9-62

3.34 Auxiliary Equipment

Hand held underwater power tools.

Electrical tools and equipment used underwater shall be specifically approved for the intended purpose of use. Electrical tools and equipment supplied with power from the surface shall be deenergized before being placed into or retrieved from the water. Hand held power tools should not be supplied with power from the dive location until requested by the diver.

3.40 Support Equipment

3.41 First aid supplies.

First aid kit, emergency oxygen, and AED shall be available at all dive exhibits and when offshore.

3.42 Diver's Flag

A diver's flag shall be displayed prominently whenever diving is conducted under circumstances where required or where water traffic is probable.

3.43 Compressor Systems – South Carolina Aquarium Controlled

The following will be considered in design and location of compressor systems:

- Low-pressure compressors used to supply air to the diver if equipped with a volume tank shall have a check valve on the inlet side, a relief valve, and a drain valve.
- Compressed air systems over 500 psig shall have slow-opening shut-off valves.
- All air compressor intakes shall be located away from areas containing exhaust or other contaminants.
- Shall meet required service and record keeping in Section 3.52

3.44 SCUBA Cylinder Fill Station

All divers are required to be trained and certified in accordance to Professional SCUBA Inspectors (PSI) Cylinder Hazmat Fill Station Compliance guidelines. All divers are required to refill SCUBA cylinders they have used. Cylinders shall be filled at the SCUBA fill station blast chamber in the dive hallway or compressor room and done in accordance with the posted Fill Station Operator Checklist. Only cylinders owned and maintained by SCA shall be filled by the SCA compressor unless the DSO specifically authorizes otherwise. The Dive Office will be responsible for the training and evaluating of divers in the proper use of the fill stations.

3.45 Oxygen Systems

- Equipment used with oxygen or mixtures containing over forty percent (40%) by volume oxygen shall be designed and maintained for oxygen service.
- Components exposed to oxygen or mixtures containing over forty percent (40%) by volume oxygen shall be cleaned of flammable materials before being placed into service.
- Oxygen systems over 125 psig shall have slow-opening shut-off valves.

3.46 Dive Computers

Only those models of dive computers specifically approved by the Dive Safety Officer (DSO) may be used.

Any diver desiring the approval to use a dive computer as a means of determining decompression status must apply to the DSO.

Dive computer training will include:

• Personal instruction and diver access to all literature supplied by the computer manufacturer, including display interpretation, proper operation and basic maintenance.

- A written examination covering basic decompression theory, specifics on the computer to be used, computer diving safety and The South Carolina Aquarium guidelines for computer diving.
- Each diver relying on a dive computer must have his own unit.
- On any given dive, both divers in the buddy pair must follow the more conservative computer.
- If the dive computer fails or gives erroneous readings at any time during the dive, the dive must be terminated and appropriate surfacing procedures should be initiated immediately. The computer should be returned to the manufacturer and should not be used again until it has been repaired.

NOTE: Subsequent dives can be made only if the dive profile from previous diving falls within the limits of the US Navy dive tables or more conservative dive planning table.

Always begin using a dive computer without pressure exposure during the preceding 24 hours when using a computer which is not designed for multi-day use. Diving with a computer while the diver is retaining excess nitrogen, which is not factored into the computer, will lead to misleading and dangerous readings from the computer.

Once the dive computer is in use, it must <u>not</u> be switched off until it indicates complete off gassing has occurred or 18 hours have elapsed, whichever comes first.

When using a dive computer, non-emergency ascents are to be at the rate specified for the make and model of dive computer being used. If the diver exceeds the ascent rate requirement of the computer, the diver's nitrogen situation will be beyond the monitoring capability of the computer and all diving should be terminated for at least 18 hours.

Ascent rates shall not exceed 30 ft/min. in the last 60 fsw.

Whenever practical, divers using a dive computer should make a safety stop between 15 and 25 feet for 3-5 minutes, especially for dives below 60 fsw.

Decompression diving is not allowed under the auspices of The South Carolina Aquarium diving program. Dive computers must not be used to facilitate this type of diving.

Ascending profiles should always be used on a deep, multi-level dive.

Repetitive dives should be planned with the deepest dive first and subsequent dives shallower than the one preceding.

Divers should avoid pushing bottom times to the computer's limits. These limits are model limits, they do not allow for environmental conditions or personal limitations (i.e.: strenuous work, diver's age, previous injury, history of DCS etc.). A safety factor should be also added to minimum surface intervals between dives.

All dives using a computer for determining time and depth factors should be backed up with an additional depth gauge and timing device in the event of computer malfunction.

Due to the additional bottom time allowed by the use of a dive computer, divers are more likely to encounter hypothermia and out-of air situations. Special consideration of these possibilities should be observed while diving with a computer.

Repetitive diving should be limited to RDP limits.

3.47 Diver Recall Devices

An underwater speaker is mounted beside the Great Ocean Tank to use in emergency audible/verbal recall to the surface.

A metal wrench and submersed metal ladder shall be available at the entrance to the Great Ocean Tank for auxiliary audible diver recall to the surface.

A dive light shall be available at the entrance to the Great Ocean Tank for auxiliary visual diver recall to the surface.

3.50 Equipment Maintenance

3.51 Recordkeeping

Each equipment modification, repair, test, calibration, or maintenance service shall be logged, including the date and nature of work performed, serial number of the item, and the name of the person performing the work for the following equipment:

- Regulators
- Submersible pressure gauges
- Depth gauges
- SCUBA cylinders
- Cylinder valves
- Diving helmets
- Submersible breathing full face masks
- Compressors
- Gas control panels
- Air storage cylinders
- Air filtration systems
- Analytical instruments
- Buoyancy control devices
- Dry suits

3.52 Compressor Operation and Air Test Records

Gas analyses and air tests shall be performed on each organizational member-controlled breathing air compressor at regular intervals of no more than 100 hours of operation or three months, whichever occurs first. The results of these tests shall be entered in a formal log and be maintained.

A log shall be maintained showing operation, repair, overhaul, filter maintenance, and temperature adjustment for each compressor. Responsibility for compressor maintenance and air quality testing falls with the Dive Safety Officer or a qualified designee.

3.60 Air Quality Standards

Breathing air for SCUBA shall meet the following specifications as set forth by the Compressed Gas Association (CGA Pamphlet G-7.1).

Component	CGA Grade E Maximum	Oxygen Compatible Air Maximum
Oxygen %	20 - 22%/v	20 - 22%/v
Carbon Dioxide	1000 PPM/v	1000 PPM/v
Carbon Monoxide	10 PPM/v	2 PPM/v
Total Hydrocarbons as	25 PPM/v	25 PPM/v
Methane		
Water Vapor	67 PPM	67 PPM
Dew Point	-50 F	-50 F
Condensed Hydrocarbons	5 mg/m^3	0.1 mg/m^3
Particles	NA	0.1 mg/m^3
Objectionable Odors	None	None

For breathing air used in conjunction with self-contained breathing apparatus in extreme cold where moisture can condense and freeze, causing the breathing apparatus to malfunction, a dew point not to exceed $-50^{\circ}F$ (63 pm v/v) or 10 degrees lower than the coldest temperature expected in the area is required.

SECTION 4.00 - ENTRY-LEVEL TRAINING REQUIREMENTS

4.10 General Policy

Training and certification as an entry-level diver is a prerequisite to SCA Diver Training. In lieu of writing/promulgating standards for entry-level divers, SCA references here, the standards for entry-level diver training as defined by the WRSTC and/or ISO. If SCA wishes to train entry-level divers they may do so using one of the following options:

- 1) Under the auspices and standards of an internationally recognized diver training agency.
- 2) Under the auspices of AAUS using the minimum guidelines presented by the most current version of the RSTC/WRSTC and/or ISO entry-level diver standards.

4.11 References

"Minimum Course Content for Open Water Diver Certification"- World Recreational SCUBA Training Council (WRSTC), www.wrstc.com.

"Safety related minimum requirements for the training of recreational SCUBA divers -- Part 2: Level 2 -- Autonomous diver". ISO 24801-2:2007- International Organization for Standardization (ISO)- www.iso.org.

SECTION 5.00 DIVER CERTIFICATION

This Section describes the training and performance standards for SCA Divers. These standards represent the minimum required level of knowledge and skills presented in a generalized format. Individual diving programs are encouraged to expand upon and augment these requirements, develop or utilize appropriate educational materials, and optimize instructional programs to suit and reflect their specific needs.

5.10 Prerequisites

Administrative

The applicant/candidate must complete all administrative and legal documentation required by SCA.

Diver Certification

The applicant/ candidate must, at minimum, show documented proof of entry-level diver certification from an internationally recognized training agency. As an alternative, if SCA wishes to train and certify entry-level divers under they may do so under the guidelines presented in Section 4.0.

Medical Examination

The applicant/candidate must be medically qualified for diving as described in Section 6.0 of the SCA Diving Manual.

Swimming/Watermanship Evaluation

The applicant/candidate must demonstrate the following in the presence of the Diving Safety Officer, instructor, or other approved examiner. All tests are to be performed without swim aids, however, where exposure protection is needed, the applicant must be appropriately weighted to provide for neutral buoyancy.

- Swim underwater for a distance of 25 yards/meters without surfacing.
- Swim 400 yards/meters in less than 12 minutes.
- Tread water for 10 minutes, or 2 minutes without the use of hands.
- Transport a passive person of equal size a distance of 25 yards/meters in the water.

5.20 Training

The diver must complete theoretical aspects and practical training for a minimum cumulative time of 100 hours. Theoretical aspects shall include principles and activities appropriate to the intended area of scientific study.

Theoretical Training/ Knowledge Development Required Topics:

- Diving Emergency Care Training
 - Cardiopulmonary Resuscitation (CPR)
 - Standard or Basic First Aid
 - Recognition of DCS and AGE
 - o Accident Management
 - o Field Neurological Exam
 - o Oxygen Administration
- Dive Rescue
- Dive Physics
- Dive Physiology
- Dive Environments
- Decompression Theory and its Application

- AAUS Scientific Diving Regulations and History
 - o Scientific Dive Planning
 - o Coordination with other Agencies
 - o Appropriate Governmental Regulations
- Scientific Method
- Data Gathering Techniques (Only Items specific to area of study required)
 - Transect Sampling (Quadrating)
 - Transecting
 - Mapping
 - Coring
 - Photography
 - Tagging
 - Collecting
 - o Animal Handling
 - Archaeology
 - o Common Biota
 - o Organism Identification
 - o Behavior
 - o Ecology
 - o Site Selection, Location, and Re-location
 - o Specialized Equipment for data gathering
 - HazMat Training
 - o HP Cylinders
 - o Chemical Hygiene, Laboratory Safety (Use Of Chemicals)

Theoretical Training/ Knowledge Suggested Topics:

- Specific Dive Modes (methods of gas delivery)
 - o Open Circuit
 - o Hooka
 - Surface Supplied diving
- Small Boat Operation
- Rebreathers
 - Closed
 - o Semi-closed
- Specialized Breathing Gas
 - o Nitrox
 - Mixed Gas
- Specialized Environments and Conditions
 - o Blue Water Diving,
 - o Ice and Polar Diving (Cold Water Diving)
 - o Zero Visibility Diving
 - Polluted Water Diving
 - Saturation Diving
 - Decompression Diving
 - Overhead Environments
 - Aquarium Diving
 - Night Diving
 - o Kelp Diving

- Strong Current Diving (Live-boating)
- o Potential Entanglement
- Specialized Diving Equipment
 - o Full face mask
 - o Dry Suit
 - o Communications

Practical Training/ Skill Development

Confined Water Evaluation

At the completion of training, the trainee must satisfy the Diving Safety Officer or the instructor of their ability to perform the following, as a minimum, in a pool or in sheltered water:

- Enter water with full equipment.
- Clear face mask.
- Demonstrate air sharing, including both buddy breathing and the use of alternate air source, as both donor and recipient, with and without a face mask.
- Demonstrate ability to alternate between snorkel and SCUBA while kicking.
- Demonstrate understanding of underwater signs and signals.
- Demonstrate simulated in-water mouth-to-mouth resuscitation.
- Rescue and transport, as a diver, a passive simulated victim of an accident.
- Demonstrate ability to remove and replace equipment while submerged.
- Demonstrate watermanship ability, which is acceptable to the instructor.

Open Water Evaluation

The trainee must satisfy an instructor, approved by the Diving Safety Officer, of their ability to perform at least the following in open water:

- Surface dive to a depth of 10 feet in open water without SCUBA.
- Demonstrate proficiency in air sharing as both donor and receiver.
- Enter and leave open water or surf, or leave and board a diving vessel, while wearing SCUBA gear.
- Kick on the surface 400 yards while wearing SCUBA gear, but not breathing from the SCUBA unit.
- Demonstrate judgment adequate for safe diving.
- Demonstrate, where appropriate, the ability to maneuver efficiently in the environment, at and below the surface.
- Complete a simulated emergency swimming ascent.
- Demonstrate clearing of mask and regulator while submerged.
- Demonstrate ability to achieve and maintain neutral buoyancy while submerged.
- Demonstrate techniques of self-rescue and buddy rescue.
- Navigate underwater.
- Plan and execute a dive.

Checkout Dive/Additional Experience

Practical training must include an Open Water checkout dive(s), with evaluation of the skills listed in Open Water Evaluation, with the DSO or qualified delegate followed by at least 11 ocean or open water dives in a variety of dive sites and diving conditions, for a cumulative bottom time of 6 hours. Dives following the checkout dive must be supervised by a certified Scientific Diver with experience in the type of diving planned, with the knowledge and permission of the DSO.

5.30 Examinations

Written Exams

Before completing training, the trainee must pass a written examination that demonstrates knowledge of at least the following:

- Function, care, use, and maintenance of diving equipment.
- Physics and physiology of diving.
- Diving regulations and precautions.
- Near-shore currents and waves.
- Dangerous marine animals.
- Emergency procedures, including buoyant ascent and ascent by air sharing.
- Currently accepted decompression procedures.
- Demonstrate the proper use of dive tables.
- Underwater communications.
- Aspects of freshwater and altitude diving.
- Hazards of breath-hold diving and ascents.
- Planning and supervision of diving operations.
- Diving hazards.
- Cause, symptoms, treatment, and prevention of the following: near drowning, air embolism, carbon dioxide excess, squeezes, oxygen poisoning, nitrogen narcosis, exhaustion and panic, respiratory fatigue, motion sickness, decompression sickness, hypothermia, and hypoxia/anoxia.
- Suggested topics (from Section 5.20) at the DSO's discretion.
- Equipment

The trainee will be subject to examination/review of:

- Personal diving equipment
- Task specific equipment

5.40 Diver Permits/Certifications

SCA requires that no person shall engage in diving unless that person is authorized by an organizational member pursuant to the provisions of this standard. Only a person diving under the auspices of the organizational member that subscribes to the practices of SCA is eligible for a scientific diver certification.

Diver-In-Training Permit

This is a permit to dive, usable only while it is current and for the purpose intended. This permit signifies that a diver has completed and been certified as at least an entry level diver through an internationally recognized certifying agency or scientific diving program, and has the knowledge skills and experience necessary to continue training as a scientific diver under supervision, as approved by the DSO.

Diver Certification

This permit signifies a diver has completed all requirements in Section 5.0 and is authorized by SCA to engage in diving without supervision, as approved by the DSO. Submission of documents and participation in aptitude examinations does not automatically result in certification. The applicant must convince the Diving Safety Officer and members of the DCB that they are sufficiently skilled and proficient to be certified. This skill will be acknowledged by the signature of the Diving Safety Officer. Any applicant who does not possess the necessary judgment, under diving conditions, for the safety of the diver and their partner, may be denied SCA diving privileges.

5.50 Depth Certifications

Depth Certifications and Progression to Next Depth Level

A certified diver diving under the auspices of the organizational member may progress to the next depth level after successfully completing the required dives for the next level. Under these circumstances the diver may exceed their depth limit. Dives shall be planned and executed under close supervision of a diver certified to this depth, with the knowledge and permission of the DSO.

- Certification to 30 Foot Depth Initial permit level, approved upon the successful completion of training listed in Section 4.00 and 5.00.
- Certification to 60 Foot Depth A diver holding a 30 foot certificate may be certified to a depth of 60 feet after successfully completing, under supervision, 12 logged training dives to depths between 31 and 60 feet, for a minimum total time of 4 hours.
- Certification to 100 Foot Depth A diver holding a 60 foot certificate may be certified to a depth of 100 feet after successfully completing, 4 dives to depths between 61 and 100 feet. The diver shall also demonstrate proficiency in the use of the appropriate Dive Tables.
- Certification to 130 Foot Depth A diver holding a 100 foot certificate may be certified to a depth of 130 feet after successfully completing, 4 dives to depths between 100 and 130 feet. The diver shall also demonstrate proficiency in the use of the appropriate Dive Tables.
- Certification to 150 Foot Depth A diver holding a 130 foot certificate may be certified to a depth
 of 150 feet after successfully completing, 4 dives to depths between 130 and 150 feet. The diver
 must also demonstrate knowledge of the special problems of deep diving, and of special safety
 requirements.
- Certification to 190 Foot Depth A diver holding a 150 foot certificate may be certified to a depth
 of 190 feet after successfully completing, 4 dives to depths between 150 and 190 feet. The diver
 must also demonstrate knowledge of the special problems of deep diving, and of special safety
 requirements.

Diving on air is not permitted beyond a depth of 190 feet.

5.60 Continuation of Certificate

Minimum Activity to Maintain Certification

During any 12-month period, each certified diver must log a minimum of 12 dives. At least one dive must be logged near the maximum depth of the diver's certification during each 6-month period. Divers certified to 150 feet or deeper may satisfy these requirements with dives to 130 feet or over. Failure to meet these requirements may be cause for revocation or restriction of certification.

**To maintain active status for open water diving the majority of the 12 dives must be on SCUBA.

Once the initial certification requirements of Section 5.00 are met, divers whose depth certification has lapsed due to lack of activity may be re-qualified by procedures adopted by the organization's DCB. Medical Examination

All certified divers shall pass a medical examination at the intervals specified in Section 6.0. After each major illness or injury, as described in Section 6.0, a certified diver shall receive clearance to return to diving from a physician before resuming diving activities.

Emergency Care Training

The diver must provide proof of training in the following:

- Adult CPR (must be current).
- Emergency oxygen administration (must be current)
- First aid for diving accidents (must be current)

5.70 Revocation of Certification

A diving certificate may be revoked or restricted for cause by the Diving Safety Officer or the DCB. Violations of regulations set forth in this standard, or other governmental subdivisions not in conflict with this standard, may be considered cause. Diving Safety Officer shall inform the diver in writing of the reason(s) for revocation. The diver will be given the opportunity to present their case in writing for reconsideration and/or re-certification. All such written statements and requests, as identified in this Section, are formal documents, which will become part of the diver's file.

5.80 Recertification

If a diver's certificate expires or is revoked, they may be re-certified after complying with such conditions as the Diving Safety Officer or the DCB may impose. The diver shall be given an opportunity to present their case to the DCB before conditions for re-certification are stipulated.

5.90 Waiver of Requirements/Temporary Diver

A temporary diver permit constitutes a waiver of the requirements of Section 5.0 and is issued only following a demonstration of the required proficiency in diving. It is valid only for a limited time, as determined by the Diving Safety Officer. This permit is not to be construed as a mechanism to circumvent existing standards set forth in this standard.

Requirements of Section 5.0 may be waived by the Diving Safety Officer if the person in question has demonstrated proficiency in diving and can contribute measurably to a planned dive. A statement of the temporary diver's qualifications shall be submitted to the Diving Safety Officer as a part of the dive plan. Temporary permits shall be restricted to the planned diving operation and shall comply with all other policies, regulations, and standards of this standard, including medical requirements.

SECTION 6.00 MEDICAL STANDARDS

6.10 Medical Requirements of the South Carolina Aquarium Dive Team

6.11 General

All certified divers shall pass a medical examination, and the expiration date of the examination will appear in the diver records. After each illness or injury requiring hospitalization of more than 24 hours, or after an episode of unconsciousness related to diving activity, or after treatment in a hyperbaric chamber following a diving accident or other serious illness, certified divers shall submit to a medical interview or examination appropriate to the nature and extent of the injury or illness, as determined by the examining physician, before resuming diving activities. If a South Carolina Aquarium certified diver shows repeated difficulty equalizing pressure in the middle ear, extreme exhaustion or ill feeling after dives, that diver will be required to be re-evaluated by a physician at the request of the DSO. DPIC or Dive Team members must report problems identified above to the DSO.

Dive team members who are exposed to hyperbaric conditions must have passed a current diving physical examination and have been declared by the examining physician to be fit to engage in diving activities as may be limited or restricted in the medical evaluation report.

All medical evaluations required by this standard shall be performed by, or under the direction of, a licensed physician of the applicant-diver's choice, whom has been trained in diving/undersea medicine.

The diver should be free of any chronic disabling disease and be free of any conditions contained in the list of conditions for which restrictions from diving is generally recommended. (See Section 6.15 and/or Appendix 2)

6.12 Frequency of Medical Evaluations

Medical evaluation shall be completed:

- Before a diver may begin diving, unless an equivalent initial medical evaluation has been given within the preceding 5 years (3 years if over the age of 40, 2 years if over the age of 60), the member organization has obtained the results of that examination, and those results have been reviewed and found satisfactory by the member organization.
- Thereafter, at 5 year intervals up to age 40, every 3 years after the age of 40, and every 2 years after the age of 60.
- Clearance to return to diving must be obtained from a physician following any major injury or illness, or any condition requiring hospital care or chronic medication. If the injury or illness is pressure related, then the clearance to return to diving must come from a physician trained in diving medicine.

6.13 Information Provided Examining Physician

The South Carolina Aquarium shall provide a copy of the medical evaluation requirements to the examining physician (Appendices 2-4).

6.14 Content of Medical Examinations

Medical examinations conducted initially and at intervals specified in Section 6.12 shall consist of the following:

- Applicant's Release of Medical Information.
- General medical history.
- Diving-related medical history.
- Diving physical examination and completion of "Medical Evaluation of Fitness for SCUBA Diving Report".
- The tests indicated in Section 6.16.
- Any additional tests the physician may consider necessary.

6.15 Conditions Which May Disqualify Candidates From Diving (Adapted from Bove, 1998)

- 1. Abnormalities of the tympanic membrane, such as perforation, presence of a monomeric membrane, or inability to autoinflate the middle ears.
- 2. Vertigo including Meniere's Disease.
- 3. Stapedectomy or middle ear reconstructive surgery.
- 4. Recent ocular surgery.
- 5. Psychiatric disorders including claustrophobia, suicidal ideation, psychosis, anxiety states, untreated depression.
- 6. Substance abuse, including alcohol.
- 7. Episodic loss of consciousness.
- 8. History of seizure.
- 9. History of stroke or a fixed neurological deficit.
- 10. Recurring neurologic disorders, including transient ischemic attacks.
- 11. History of intracranial aneurysm, other vascular malformation or intracranial hemorrhage.
- 12. History of neurological decompression illness with residual deficit.
- 13. Head injury with sequelae.
- 14. Hematologic disorders including coagulopathies.
- 15. Evidence of coronary artery disease or high risk for coronary artery disease.
- 16. Atrial septal defects.
- 17. Significant valvular heart disease isolated mitral valve prolapse is not disqualifying.
- 18. Significant cardiac rhythm or conduction abnormalities.
- 19. Implanted cardiac pacemakers and cardiac defibrillators (ICD).
- 20. Inadequate exercise tolerance.
- 21. Severe hypertension.
- 22. History of spontaneous or traumatic pneumothorax.
- 23. Asthma.
- 24. Chronic pulmonary disease, including radiographic evidence of pulmonary blebs, bullae or cysts.
- 25. Diabetes mellitus.
- 26. Pregnancy

6.16 Laboratory Requirements for Diving Medical Evaluation and Intervals.

Initial examination under age 40:

- Medical History
- Complete Physical Exam, emphasis on neurological and otological components
- Urinalysis
- Any further tests deemed necessary by the physician.

Periodic re-examination under age 40 (every 5 years):

- Medical History
- Complete Physical Exam, emphasis on neurological and otological components
- Urinalysis
- Any further tests deemed necessary by the physician

Initial exam over age 40:

- Medical History
- Complete Physical Exam, emphasis on neurological and otological components
- Detailed assessment of coronary artery disease risk factors using Multiple-Risk-Factor Assessment^{1,2} (age, family history, lipid profile, blood pressure, diabetic screening, smoking history). Further cardiac screening may be indicated based on risk factor assessment.
- Resting EKG
- Chest X-ray
- Urinalysis
- Any further tests deemed necessary by the physician

Periodic re-examination over age 40 (every 3 years); over age 60 (every 2 years):

- Medical History
- Complete Physical Exam, emphasis on neurological and otological components
- Detailed assessment of coronary artery disease risk factors using Multiple-Risk-Factor
- Assessment¹ (age, family history, lipid profile, blood pressure, diabetic screening, smoking
- history). Further cardiac screening may be indicated based on risk factor assessment.
- Resting EKG
- Urinalysis
- Any further tests deemed necessary by the physician

6.17 Physician's Written Report

After any medical examination relating to the individual's fitness to dive, The South Carolina Aquarium shall obtain a written report prepared by the examining physician, which shall contain the examining physician's opinion of the individual's fitness to dive, including any recommended restrictions or limitations. This will be reviewed by the DCB.

The South Carolina Aquarium shall make a copy of the physician's written report available to the individual upon request.

¹ Grundy, R.J. et. al. 1999. Assessment of Cardiovascular Risk by Use of Multiple-Risk-Factor Assessment Equations. AHA/ACC Scientific Statement. http://www.acc.org/clinical/consensus/risk/risk1999.pdf

² Bove, A.A. 2011. The cardiovascular system and diving risk. *Undersea and Hyperbaric Medicine* 38(4): 261-269.

Volume 2

Sections 7.00 through 10.00

SECTION 7 NITROX DIVING GUIDELINES

The following guidelines address the use of nitrox by scientific divers under the auspices of an AAUS Organizational Member. Nitrox is defined for these guidelines as breathing mixtures composed predominately of nitrogen and oxygen, most commonly produced by the addition of oxygen or the removal of nitrogen from air.

7.10 Perquisites

7.11 Eligibility

Only a certified Diver or Diver In Training (see Section 4.00 and 5.00) diving under the auspices of a member organization is eligible for authorization to use nitrox. After completion, review and acceptance of application materials, training and qualification as per Section 7.12 of these guidelines, an applicant will be authorized to use nitrox within his/her depth authorization, as specified in Standards Sec 5.40.

Equivalent Nitrox certifications may be considered for divers requesting authorization.

7.12 Application and documentation

Application and documentation for authorization to use nitrox should be made on forms specified by the Diving Control Board.

7.20 Requirements for Authorization to Use Nitrox

Submission of documents and participation in aptitude examinations does not automatically result in authorization to use nitrox. The applicant must convince the DSO and members of the DCB that he/she is sufficiently skilled and proficient. The signature of the DSO on the authorization form will acknowledge authorization. After completion of training and evaluation, authorization to use nitrox may be denied to any diver who does not demonstrate to the satisfaction of the DSO or DCB the appropriate judgment or proficiency to ensure the safety of the diver and dive buddy.

Prior to authorization to use nitrox, the following minimum requirements should be met:

7.21 Training

The diver must complete additional theoretical and practical training beyond the Diver In Training air certification level, to the satisfaction of the member organization's DSO and DCB (see Section 7.30).

7.22 Examinations

Each diver should demonstrate proficiency in skills and theory in written, oral, and practical examinations covering:

- Written examinations covering the information presented in the classroom training session(s) (i.e., gas theory, oxygen toxicity, partial pressure determination, etc. ...); (see Section 7.33)
- Practical examinations covering the information presented in the practical training session(s) (i.e., gas analysis, documentation procedures, etc. ...); (see Section 7.32)
- Openwater checkout dives, to appropriate depths, to demonstrate the application of theoretical and practical skills learned.

7.23 Minimum Activity to Maintain Authorization

The diver should log at least one (1) nitrox dive per year. Failure to meet the minimum activity level may be cause for restriction or revocation of nitrox authorization.

7.30 Nitrox Training Guidelines

Training in these guidelines should be in addition to training for Diver-In-Training authorization (Section 4.00). It may be included as part of training to satisfy the Diver training requirements (Section 5.20).

7.31 Classroom Instruction

Topics should include, but are not limited to:

- review of previous training;
- physical gas laws pertaining to nitrox;
- partial pressure calculations and limits;
- equivalent air depth (EAD) concept and calculations;
- oxygen physiology and oxygen toxicity;
- calculation of oxygen exposure and maximum safe operating depth (MOD);
- determination of decompression schedules (both by EAD method using approved air dive tables, and using approved nitrox dive tables);
- dive planning and emergency procedures;
- mixing procedures and calculations;
- gas analysis;
- personnel requirements;
- equipment marking and maintenance requirements;
- dive station requirements.

The DCB may choose to limit standard nitrox diver training to procedures applicable to diving, and subsequently reserve training such as nitrox production methods, oxygen cleaning, and dive station topics to divers requiring specialized authorization in these areas.

7.32 Practical Training

The practical training portion will consist of a review of skills as stated for SCUBA (Section 4.00), with additional training as follows:

- Oxygen analysis of nitrox mixtures.
- Determination of MOD, oxygen partial pressure exposure, and oxygen toxicity time limits, for various nitrox mixtures at various depths.
- Determination of nitrogen-based dive limits status by EAD method using air dive tables, and/or using nitrox dive tables, as approved by the DCB.
- Nitrox dive computer use may be included, as approved by the DCB.

7.33 Written Examination (based on classroom instruction and practical training)

Before authorization, the trainee should successfully pass a written examination demonstrating knowledge of at least the following:

- Function, care, use, and maintenance of equipment cleaned for nitrox us.
- Physical and physiological considerations of nitrox diving (ex.: O₂ and CO₂ toxicity).
- Diving regulations and procedures as related to nitrox diving, either SCUBA or surface-supplied (depending on intended mode).
- Given the proper information, calculation of:
 - o Equivalent air depth (EAD) for a given fO₂ and actual depth.
 - \circ pO₂ exposure for a given fO₂ and depth.
 - Optimal nitrox mixture for a given pO₂ exposure limit and planned depth.
 - \circ Maximum operational depth (MOD) for a given mix and pO₂ exposure limit.
- For nitrox production purposes, percentages/psi of oxygen present in a given mixture, and psi of each gas required to produce a fO₂ by partial pressure mixing.
- Decompression table and dive computer selection and usage.
- Nitrox production methods and considerations.
- Oxygen analysis.
- Nitrox operational guidelines (Section 7.40), dive planning, and dive station components.

7.34 Openwater Dives

A minimum of two supervised openwater dives using nitrox is required for authorization. The mode used in the dives should correspond to the intended application (i.e., SCUBA or surface-supplied). If the MOD for the mix being used can be exceeded at the training location, direct, in-water supervision is required.

7.40 Nitrox Diving Regulations

7.41 Dive Personnel Requirements

Nitrox Diver In Training - A Diver In Training, who has completed the requirements of AAUS Standards Section 4.00 and the training and authorization Sections of these guidelines, may be authorized by the DSO to use nitrox under the direct supervision a Scientific Diver who also holds nitrox authorization. Dive depths should be restricted to those specified in the diver's authorization.

Diver - A Diver who has completed the requirements of Section 5.00 and the training and authorization Sections of these guidelines, may be authorized by the DSO to use nitrox. Depth authorization to use nitrox should be the same as those specified in the diver's authorization, as described in Section 5.50.

DPIC - On any dive during which nitrox will be used by any team member, the DPIC should be authorized to use nitrox, and hold appropriate authorizations required for the dive, as specified in SCA Standards. DPIC authorization for nitrox dives by the DSO and/or DCB should occur as part of the dive plan approval process.

In addition to responsibilities listed in Section 1.26, the DPIC should:

- As part of the dive planning process, verify that all divers using nitrox on a dive are properly qualified and authorized;
- As part of the pre-dive procedures, confirm with each diver the nitrox mixture the diver is using, and establish dive team maximum depth and time limits, according to the shortest time limit or shallowest depth limit among the team members.
- The DPIC should also reduce the maximum allowable pO₂ exposure limit for the dive team if onsite conditions so indicate (see Section 7.42)

7.42 Dive Parameters

Oxygen Exposure Limits

The inspired oxygen partial pressure experienced at depth should not exceed 1.6 ATA. All dives performed using nitrox breathing mixtures should comply with the current *NOAA Diving Manual* "Oxygen Partial Pressure Limits for 'Normal' Exposures"

The maximum allowable exposure limit should be reduced in cases where cold or strenuous dive conditions, or extended exposure times are expected. The DCB should consider this in the review of any dive plan application which proposes to use nitrox. The Lead Diver should also review on-site conditions and reduce the allowable pO_2 exposure limits if conditions indicate.

If using the equivalent air depth (EAD) method the maximum depth of a dive should be based on the oxygen partial pressure for the specific nitrox breathing mix to be used.

Bottom Time Limits

Maximum bottom time should be based on the depth of the dive and the nitrox mixture being used. Bottom time for a single dive should not exceed the NOAA maximum allowable "Single Exposure Limit" for a given oxygen partial pressure, as listed in the current *NOAA Diving Manual*.

NOAA Single Exposure Limit Chart

PO ₂	Max single exposure duration		Max total exposure in any 24 hours	
	Min	Hour	Min	Hour
0.6	720	12	720	12
0.7	570	9.5	570	9.5
0.8	450	7,5	450	7.5
0.9	360	6	360	6
1.0	300	5	300	5
1.1	240	4	270	4.5
1.2	210	3.5	240	4
1.3	180	3	210	3.5
1.4	150	2.5	180	3
1.5	120	2	180	3
1.6	45	0.75	150	2.5

Decompression Tables and Gases

A set of DCB approved nitrox decompression tables should be available at the dive site.

When using the equivalent air depth (EAD) method, dives should be conducted using air decompression tables approved by the DCB.

If nitrox is used to increase the safety margin of air-based dive tables, the MOD and oxygen exposure and time limits for the nitrox mixture being dived should not be exceeded

Breathing mixtures used while performing in-water decompression, or for bail-out purposes, should contain the same or greater oxygen content as that being used during the dive, within the confines of depth limitations of Section 7.31 and the oxygen partial pressure limits set forth in Section 7.32.

Nitrox Dive Computers

- Dive Computers may be used to compute decompression status during nitrox dives. Manufacturers' guidelines and operations instructions should be followed.
- Use of Nitrox dive computers should comply with dive computer guidelines as per the SCA dive manual.
- Nitrox Dive computer users should demonstrate a clear understanding of the display, operations, and manipulation of the unit being used for nitrox diving prior to using the computer, to the satisfaction of the DSO or his/her designee
- If nitrox is used to increase the safety margin of an air-based dive computer, the MOD and oxygen exposure and time limits for the nitrox mixture being dived should not be exceeded.
- Dive computers capable of pO₂ limit and fO₂ adjustment should be checked by the diver prior to the start each dive to assure compatibility with the mix being used.
- Repetitive Diving
- Repetitive dives using nitrox mixtures should be performed in compliance with procedures required of the specific dive tables used.
- Residual nitrogen time should be based on the EAD for the specific nitrox mixture to be used on the repetitive dive, and not that of the previous dive.

- The total cumulative exposure (bottom time) to a partial pressure of oxygen in a given 24 hour period should not exceed the current *NOAA Diving Manual* 24-hour Oxygen Partial Pressure Limits for "Normal" Exposures.
- When repetitive dives expose divers to different oxygen partial pressures from dive to dive, divers should account for accumulated oxygen exposure from previous dives when determining acceptable exposures for repetitive dives. Both acute (CNS) and chronic (pulmonary) oxygen toxicity concerns should be addressed.

7.43 Oxygen Parameters

Authorized Mixtures - Mixtures meeting the criteria outlined in Section 7.42 may be used for nitrox diving operations, upon approval of the DCB.

Purity

Oxygen used for mixing nitrox breathing gas should meet the purity levels for "Medical Grade" (U.S.P.) or "Aviator Grade" standards.

In addition to the AAUS Air Purity Guidelines (Section 3.60), the following standard should be met for breathing air that is either:

- Placed in contact with oxygen concentrations greater than 40%, or
- Used in nitrox production by the partial pressure mixing method with gas mixtures containing greater than 40% oxygen as the enriching agent:
 - o Air Purity: CGA Oxygen Compatible Air (Section 3.60)
 - o Condensed Hydrocarbons: No greater than 0.1mg/m^3
 - o HydroCarbon Contaminants: No greater than 0.1 mg/m³

7.44 Gas Mixing and Analysis

Personnel Requirements

- Individuals responsible for producing and/or analyzing nitrox mixtures should be knowledgeable and experienced in all aspects of the technique.
- Only those individuals approved by the DSO and/or DCB should be responsible for mixing and/or analyzing nitrox mixtures.

Production Methods - It is the responsibility of the DSO to approve the specific nitrox production method used.

Analysis Verification by User

- It is the responsibility of each diver to analyze prior to the dive the oxygen content of his/her SCUBA cylinder and acknowledge in writing the following information for each cylinder: fO₂, MOD, cylinder pressure, date of analysis, and user's name.
- Individual dive log reporting forms should report fO₂ of nitrox used, if different than 21%.

7.50 Nitrox Diving Equipment

All of the designated equipment and stated requirements regarding SCUBA equipment required in the AAUS Standards should apply to nitrox SCUBA operations. Additional minimal equipment necessary for nitrox diving operations includes:

- Labeled SCUBA Cylinders
- Oxygen Analyzers

7.51 Oxygen Cleaning and Maintenance Requirements

Requirement for Oxygen Service

- All equipment which during the dive or cylinder filling process is exposed to concentrations greater than 40% oxygen at pressures above 150 psi should be cleaned and maintained for oxygen service.
- Equipment used with oxygen or mixtures containing over forty percent (40%) by volume oxygen shall be designed and maintained for oxygen service.
- Oxygen systems over 125 psig shall have slow-opening shut-off valves.

This should include the following equipment:

- SCUBA cylinders,
- cylinder valves,
- SCUBA and other regulators,
- cylinder pressure gauges and hoses,
- diver support equipment,
- compressors,
- Fill Station components and plumbing.

7.52 SCUBA Cylinder Identification Marking

SCUBA cylinders to be used with nitrox mixtures should have the following identification documentation affixed to the cylinder:

- Cylinders should be marked "NITROX", or "EANx", or "Enriched Air"
- Nitrox identification color coding should include a 4-inch wide green band around the cylinder, starting immediately below the shoulder curvature. If the cylinder is not yellow in, the green band should be bordered above and below by a 1-inch yellow band.
- The alternate marking of a yellow cylinder by painting the cylinder crown green and printing the word "NITROX" parallel to the length of the cylinder in green print is acceptable.
- Other markings which identify the cylinder as containing gas mixes other than air may be used as the approval of the DCB.
- A contents label should be affixed, to include the current fO₂, date of analysis, and MOD.
- The cylinder should be labeled to indicate whether the cylinder is prepared for oxygen or nitrox mixtures containing greater than 40% oxygen.

7.53 Regulators

Regulators to be used with nitrox mixtures containing greater than 40% oxygen should be cleaned and maintained for oxygen service, and marked in an identifying manner.

7.54 Other Support Equipment

An oxygen analyzer is required which is capable of determining the oxygen content in the SCUBA cylinder. Two analyzers are recommended to reduce the likelihood of errors due to a faulty analyzer. The analyzer should be capable of reading a scale of 0 to 100% oxygen, within (one) 1% accuracy.

All diver and support equipment should be suitable for the fO₂ being used.

7.55 Compressor and Fill Station

The compressor/filtration system MUST produce oil-free air meeting CGA Oxygen Compatible Air standards.

An oil-lubricated compressor placed in service for a nitrox system should be checked for oil and hydrocarbon contamination at least quarterly.

Fill Station Components - All components of a nitrox fill station that will contact nitrox mixtures containing greater than 40% oxygen should be cleaned and maintained for oxygen service. This includes cylinders, whips, gauges, valves, and connecting lines.

SECTION 8.00 SCIENTIFIC AQUARIUM DIVING OPERATIONS

8.10 General Policy

This Section 8.00 applies to scientific aquarium divers only.

Definition - A scientific aquarium diver is a scientific diver who is diving solely within an aquarium. An aquarium is a shallow, confined body of water, which is operated by or under the control of an institution and is used for the purposes of specimen exhibit, education, husbandry, or research.

It is recognized that within scientific aquarium diving there are environments and equipment that fall outside the scope of those addressed in this manual. In those circumstances it is the responsibility of the organizational member's Dive Control Board to establish the requirements and protocol under which diving will be safely conducted

Note: All of the standards set forth in other Sections of this manual shall apply, except as otherwise noted in this Section.

8.20 The Buddy System in Scientific Aquarium Diving

All SCUBA diving activities in the confined environment of an aquarium shall be conducted in accordance with the buddy system, whereby both divers, or a diver and a tender as provided below, are always in visual contact with one another, can always communicate with one another, and can always render prompt and effective assistance either in response to an emergency or to prevent an emergency.

A diver and tender comprise a buddy team in the confined environment of an aquarium only when the maximum depth does not exceed 30 feet, and there are no overhead obstructions or entanglement hazards for the diver, and the tender is equipped, ready and able to conduct or direct a prompt and effective inwater retrieval of the diver at all times during the dive.

A DPIC will always be required for Scientific Aquarium dives.

8.30 Diving Equipment

Section 3.31 of this manual is modified to read as follows: In an aquarium of a known maximum obtainable depth: 1. A depth indicator is not required, except that a repetitive diver shall use the same computer used on any prior dive. 2. Only one buddy must be equipped with a timing device." 3. The maximum obtainable depth of the aquarium shall be used as the diving depth.

8.40 Scientific Aquarium Diver Certification

A Scientific Aquarium Diver is a certification enabling the qualified diver to participate in scientific diving in accordance with the standards of this Section 8 as provided below:

- All of the standards set forth in Sections 4.0 and 5.0 of this manual shall apply, except that Section 5.20 of this manual is modified to read as follows:
- Practical training shall include at least 12 supervised aquarium dives for a cumulative bottom time of 6 hours. No more than 3 of these dives shall be made in 1 day.

8.50 Scientific Aquarium Diving Using Other Diving Technology

8.51 Surface Supplied Scientific Aquarium Diving

Definition: For purposes of scientific aquarium diving, surface supplied diving is described as a mode of diving using open circuit, surface supplied compressed gas which is provided to the diver at the dive location and may or may not include voice communication with the surface tender.

*This definition from AAUS truly describes the Hookah dive mode, when no voice communication is included, which would not be compliant in commercial operations with the exception of California OSHA guidelines

Divers using the surface supplied mode shall be equipped with a diver-carried independent reserve breathing gas supply.

Scientific aquarium divers using conventional SCUBA masks, full-face masks or non-lockdown type helmets are exempt from this standard provided:

- there are no overhead obstructions or entanglements, and
- the diver is proficient in performing a Controlled Emergency Swimming Ascent from at least as deep as the maximum depth of the aquarium, and
- the diver is proficient in performing out of air emergency drills, including ascent and mask/helmet removal.

Each surface supplied diver shall be hose-tended by a separate dive team member while in the water.

• Scientific aquarium divers are exempt from this standard, provided the tender is monitoring only one air source, there is mutual assistance between divers and there are no overhead obstructions or entanglements.

Divers using the surface supplied mode shall maintain communication with the surface tender. The surface supplied breathing gas supply (volume and intermediate pressure) shall be sufficient to support all surface supplied divers in the water for the duration of the planned dive.

During surface supplied diving operations when only one diver is in the water, there must be a standby diver in attendance at the dive location.

• Scientific aquarium divers are exempt from this standard, provided the tender is equipped, ready and able to conduct a prompt and effective in-water retrieval of the diver at all times during the dive.

Surface supplied equipment must be configured to allow retrieval of the diver by the surface tender without risk of interrupting air supply to the diver.

All surface supplied divers will be in a harness with a positive locking buckle, droppable weights, and a secure attachment point for the umbilical.

All surface supplied applications used for scientific aquarium diving shall have a non-return valve at the attachment point between helmet or mask hose, which shall close readily and positively.

SECTION 9.00 OTHER DIVING TECHNOLOGY

Certain types of diving, some of which are listed below, require equipment or procedures that require training. The South Carolina Aquarium members using these must have guidelines established by their Diving Control Board. Divers shall comply with all SCUBA diving procedures in this manual unless specified.

9.10 Hookah

While similar to Surface Supplied in that the breathing gas is supplied from the surface by means of a pressurized hose, the supply hose does not require a strength member, pneumofathometer hose, or communication line. Hookah equipment may be as simple as a long hose attached to a standard SCUBA cylinder supplying a standard SCUBA second stage. The diver is responsible for the monitoring his/her own depth, time, and diving profile.

Hookah divers shall comply with all SCUBA diving procedures in this manual.

- Divers using the hookah mode shall be equipped with a diver-carried independent reserve breathing gas supply (Open water diving only).
- Each hookah diver shall be hose-tended by a separate dive team member while in the water.
- The hookah breathing gas supply shall be sufficient to support all hookah divers in the water for the duration of the planned dive, including decompression.
- All hookah divers will be in a harness with a positive locking buckle, droppable weights, and a secure attachment point for the umbilical.
- * Hookah dive mode, when no voice communication is included, would not be compliant in commercial operations with the exception of California OSHA guidelines

9.20 Surface Supplied Diving

Surface supplied divers shall comply with all SCUBA diving procedures in this manual. Surface supplied diving shall not be conducted at depths greater than 190 fsw (58 msw).

Divers using the surface supplied mode shall be equipped with a diver-carried independent reserve breathing gas supply.

The surface supplied diver(s) shall be hose tended while in the water.

Divers using the surface supplied mode shall maintain voice communication with the surface tender.

The surface supplied breathing gas supply shall be sufficient to support all surface supplied divers in the water for the duration of the planned dive, including decompression.

During surface supplied diving operations when only one diver is in the water, there must be a standby diver in attendance at the dive location in addition to the tender.

All surface supplied divers will be in a harness with a positive locking buckle, droppable weights, and a secure attachment point for the umbilical.

9.30 Blue Water Diving

Blue water diving is defined as diving in open water where the bottom is generally >200 feet deep. It requires special training and the use of multiple-tethered diving techniques. Specific guidelines that should be followed are outlined in "Blue Water Diving Guidelines" (California Sea Grant Publ. No. T-CSGCP-014).

Divers participating in SCA-sanctioned open water diving, are not authorized for blue water diving unless the buddy team is trained, has the need, been approved by the DSO, and is equipped and certified to do so.

9.40 Overhead Environments

Where an enclosed or confined space is not large enough for two divers, a diver shall be stationed at the underwater point of entry and an orientation line shall be used. Divers participating in SCA-sanctioned open water diving, are not authorized to enter overhead environments unless the buddy team is trained, has the need, been approved by the DSO, and is equipped and certified to do so.

Overhead environments in the Great Ocean Tank are large enough for two divers. A buddy system of one diver in the cave and the safety diver stationed at an entry point is required, but line tether is not needed as the diver is visible.

9.50 Snorkel, Freedive, Breathhold Diving

These terms can be used interchangeably to describe a diving mode in which the diver uses no self-contained or surface-supplied air or oxygen supply. A breathing device like a snorkel may or may not be used. During this dive mode the diver can/does hold their breath while going underwater.

Because of the risk of hypocapnia, reduced carbon dioxide in the blood, the natural breathing reflex may be altered and shallow water blackout may occur. Divers need to follow a buddy system with only one diver underwater at a time. Anyone engaging in this dive mode must be fully qualified as a diver at SCA.

Section 10 Guest Immersion Divers

Guest Immersion divers are classified as any non-SCA volunteer or staff diver(s) who dive under the auspices of the South Carolina Aquarium. Examples of Guest Immersion Diver would include Donors, VIP, Media, and Pay-to-Dive. Guest divers must be at a minimum certified open water divers by an internationally-recognized SCUBA certifying agency. An age requirement may be initiated at the Diving Control Board's discretion.

Guest dive programs will follow World Recreational SCUBA Training Council guidelines.

Guest divers shall:

- Provide proof of open water certification or higher when applicable
- Sign Liability and Risk Acknowledgment waiver
- Provide a signed medical clearance

Guest immersion programs require in-water guides to be certified and active as recreational Diversaters or higher.

The South Carolina Aquarium requires

- 1:1 supervision ratio
- A Standby Diver will be topside during in-water activities
- A DPIC will also be onsite during in-water activities.

APPENDICES

Appendix 1 through 12

Appendix 1 OSHA Guidelines for Scientific Diving

Based on the OSHA directive CPL 02-00-151 effective June 13, 2011 Subject - 29 CFR Part 1910, Subpart T – Commercial Diving Operations APPENDIX C: Exclusions and Exemptions from OSHA's Commercial Diving Standard

https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-00-151.pdf

1. "The Diving Control (safety) Board consists of a majority of active scientific divers and has autonomous and absolute authority over the scientific diving program's operations."

The first guideline concerns organizational structure. OSHA concluded that the organizational structure of the scientific diving community's consensual standard program is not only vital to the integrity of scientific diving programs, but effectively serves to segregate scientific diving from commercial diving. The Diving Control Board required for scientific diving programs must contain several elements that distinguish the exempt scientific diving programs from commercial diving. These distinctive elements include absolute authority over diving operations, the autonomy inherent in the Diving Control Board's decision making powers and responsibilities, and peer review. OSHA's intent was for the Diving Control Board, primarily consisting of the divers themselves, to regulate the diving activities in a manner consistent with that described by the scientific diving community during the rulemaking process. Therefore, OSHA requires that Diving Control Boards have this autonomous and absolute authority over scientific diving operations. OSHA also concluded that the peer review system has successfully regulated scientific diving programs and, therefore, OSHA mandated that the majority of members of the Diving Control Board be active divers. OSHA's intent with respect to this "peer review" was that the active divers required to make up the Diving Control Board would be scientists who actively dive, since at issue was the control of a scientific program. Thus, OSHA will interpret the membership requirement as it was intended in the final rule. The "majority of active divers" on the Diving Control Board also must be scientists.

2. "The purpose of the project using scientific diving is the advancement of science; therefore, information and data resulting from the project are non-proprietary."

The second guideline concerns the restricted purpose of the project. In part, the definition of scientific diving is "diving performed solely as a necessary part of a scientific, research, or educational activity" (see Federal Register notice 47 FR 53365 and 29 CFR 1910.402). The National Oceanic and Atmospheric Administration (NOAA) Diving Manual notes that "marine research using diving as a tool has been important in understanding the ocean, its organisms, and its dynamic processes." Such diving includes the study of fish behavior, ecological surveys and benthic surveys (the aggregate of organisms living on or at the bottom of a body of water). Scientific diving is an adjunct used in the advancement of underwater science. For example, representatives from the scientific diving community noted during public hearings and in written comments "Our objective is to promote the advancement of science and the use of underwater methods," that "Research and the furtherance of scientific knowledge are their (the divers) primary goals," results are "shared worldwide," and further that coverage of the scientific diving community by 29 CFR Part 1910, Subpart T - Commercial Diving Operations, may cause "irreparable damage to the underwater scientific effort of the United States." Because the exemplary safety record,

which led OSHA to promulgate the scientific exemption to 29 CFR Part 1910, Subpart T, was created by diving with the restricted purpose of advancing science, OSHA limited the scope of the exemption to diving intended to advance science. OSHA recognizes that the advancement of science cannot occur unless such studies are made available to contribute to and enhance scientific knowledge. Therefore, OSHA's intent was to restrict the exemption to scientific research dives that result in non-proprietary information, data, knowledge, or other work product. The requirement that information be non-proprietary applies to scientific, research, and educational activities engaged in by scientific divers. Material available to the public for review is non-proprietary, whether or not it is published; material not available for review is proprietary.

3. "The tasks of a scientific diver are those of an observer and data gatherer. Construction and trouble-shooting tasks traditionally associated with commercial diving are not included within scientific diving."

The third guideline concerns the tasks performed. The scientific diving definition in the standard

states that such diving must be done by employees whose sole purpose for diving is to perform scientific research tasks. Also contained in the definition is a list of those tasks that are traditionally considered commercial, with emphasis on construction and the use of construction tools (such as heavy equipment, power tools, explosives, welding equipment, burning equipment). As OSHA discussed in the final rule (see Federal Register notice 47 FR53357), a commercial diver is typically an underwater construction worker, builder, and troubleshooter; a scientific diver is an observer of natural phenomena or responses of natural systems, and a gatherer of data for scientific analysis. The tasks performed by the scientific diver usually are light and short in duration; if any hand tools are used, they are simple ones (such as a small hammer, collecting jars, special hand-held measuring devices, plastic core tubes, hand net, suction fish collector, camera, or slate pencil). As was indicated in a Federal Register notice (49FR29105), an example of task distinction might involve a scientific study of kelp. The construction of the kelp bed used in the project is not scientific diving since construction activities are commercial diving tasks; however, the consequent studies made of the kelp would be scientific diving tasks. Another example of task distinction was provided in the discussion of the final guidelines (see Federal Register notice 50FR1046). Lowering a large object into the water (such as the Project Aquarius habitat), even

the scientific diving community supported this limited definition (see the amicus brief in United Brotherhood of Carpenters and Joiners v. Department of Labor, No. 82-2509 (D.C. Cir. 1982)).
4. "Scientific divers, based on the nature of their activities, must use scientific expertise in studying the underwater environment and, therefore, are scientists or scientists in training."

though a part of a scientific project, is not scientific diving. The special skills of an underwater scientist, including observation and data-collection skills, do not contribute to the placement of a large object underwater. OSHA avoided the possibility of the exemption applying to scientific divers who undertake such tasks while participating in a scientific research project by focusing the definition on the sole purpose of the dive (scientific research tasks), eliminating dives with mixed purposes, and further indicating typical examples of what OSHA considers to be commercial tasks. It is noted that

The fourth guideline concerns special qualifications. As was previously noted, a scientific diver is an observer and data gatherer involved in studying the underwater environment, its organisms and its dynamic processes, in order to promote underwater science. OSHA concluded, based on the nature of these activities, that these divers must be able to use scientific expertise in studying and analyzing the underwater environment. Consequently, OSHA requires these divers to be scientists or scientists in training. For example, a project to map segments of the ocean floor might hire

commercial divers to undertake certain mapping tasks. These commercial divers are neither scientists nor scientists in training as prescribed by this guideline and, therefore, would not be eligible for the exemption. If, however, scientific expertise was needed to effectively accomplish tasks associated with the mapping (such as specialized geological knowledge), and a geologist trained as a diver performed the special geological tasks associated with the mapping, then such diving tasks would meet this particular criterion. As stated previously, however, all program criteria and guidelines must be met in order for this diving scenario to qualify for the exemption. In promulgating the exemption, OSHA rejected using credentials to determine who is a scientist. However, the Agency accepted the limitation that divers covered by the exemption had to be scientists because this limitation reflects the scientific diving community's underwater activities, and it prevents obvious commercial diving from being construed as scientific diving



APPENDIX 2 DIVING MEDICAL EXAM OVERVIEW FOR THE EXAMINING PHYSICIAN

TO THE EXAMINING PHYSICIAN:	
certification as a Scientific Diver for the History Form (attached) may indicate por requested on the attached SCUBA Diving diving medicine, you may wish to consuphysicians with expertise in diving medi- the Undersea Hyperbaric and Medical Science.	, requires a medical examination to assess their fitness for South Carolina Aquarium. Their answers on the Diving Medical tential health or safety risks as noted. Your evaluation is g Fitness Medical Evaluation Report. If you have questions about tone of the references on the attached list or contact one of the cine whose names and phone numbers appear on an attached list, ociety, or the Divers Alert Network. Please contact the have any questions or concerns about diving medicine or the ank you for your assistance.
Diving Safety Officer	Date
Printed Name	Phone Number

SCUBA and other modes of compressed-gas diving can be strenuous and hazardous. A special risk is present if the middle ear, sinuses, or lung segments do not readily equalize air pressure changes. The most common cause of distress is eustachian insufficiency. Recent deaths in the scientific diving community have been attributed to cardiovascular disease. Please consult the following list of conditions that usually restrict candidates from diving.

(Adapted from Bove, 1998: bracketed numbers are pages in Bove)

CONDITIONS WHICH MAY DISQUALIFY CANDIDATES FROM DIVING

- 1. Abnormalities of the tympanic membrane, such as perforation, presence of a monomeric membrane, or inability to autoinflate the middle ears. [5,7,8,9]
- 2. Vertigo, including Meniere's Disease. [13]
- 3. Stapedectomy or middle ear reconstructive surgery. [11]
- 4. Recent ocular surgery. [15, 18, 19]
- 5. Psychiatric disorders including claustrophobia, suicidal ideation, psychosis, anxiety states, untreated depression. [20 23]
- 6. Substance abuse, including alcohol. [24 25]
- 7. Episodic loss of consciousness. [1, 26, 27]
- 8. History of seizure. [27, 28]
- 9. History of stroke or a fixed neurological deficit. [29, 30]

- 10. Recurring neurologic disorders, including transient ischemic attacks. [29, 30]
- 11. History of intracranial aneurysm, other vascular malformation or intracranial hemorrhage. [31]
- 12. History of neurological decompression illness with residual deficit. [29, 30]
- 13. Head injury with sequelae. [26, 27]
- 14. Hematologic disorders including coagulopathies. [41, 42]
- 15. Evidence of coronary artery disease or high risk for coronary artery disease. [33 35]
- 16. Atrial septal defects. [39]
- 17. Significant valvular heart disease isolated mitral valve prolapse is not disqualifying. [38]
- 18. Significant cardiac rhythm or conduction abnormalities. [36 37]
- 19. Implanted cardiac pacemakers and cardiac defibrillators (ICD). [39, 40]
- 20. Inadequate exercise tolerance. [34]
- 21. Severe hypertension. [35]
- 22. History of spontaneous or traumatic pneumothorax. [45]
- 23. Asthma. [42 44]
- 24. Chronic pulmonary disease, including radiographic evidence of pulmonary blebs, bullae, or cysts. [45,46]
- 25. Diabetes mellitus. [46 47]
- 26. Pregnancy. [56]

SELECTED REFERENCES IN DIVING MEDICINE

Available from Best Publishing Company, P.O. Box 30100, Flagstaff, AZ 86003-0100, the Divers Alert Network (DAN) or the Undersea and Hyperbaric Medical Society (UHMS), Durham, NC

- Elliott, D.H. ed. 1996. *Are Asthmatics Fit to Dive?* Kensington, MD: Undersea and Hyperbaric Medical Society.
- Bove, A.A. 2011. The cardiovascular system and diving risk. *Undersea and Hyperbaric Medicine* 38(4): 261-269.
- Thompson, P.D. 2011. The cardiovascular risks of diving. *Undersea and Hyperbaric Medicine* 38(4): 271-277.
- Douglas, P.S. 2011. Cardiovascular screening in asymptomatic adults: Lessons for the diving world. *Undersea and Hyperbaric Medicine* 38(4): 279-287.
- Mitchell, S.J., and A.A. Bove. 2011. Medical screening of recreational divers for cardiovascular disease: Consensus discussion at the Divers Alert Network Fatality Workshop. *Undersea and Hyperbaric Medicine* 38(4): 289-296.
- Grundy, S.M., Pasternak, R., Greenland, P., Smith, S., and Fuster, V. 1999. Assessment of Cardiovascular Risk by Use of Multiple-Risk-Factor Assessment Equations. AHA/ACC Scientific Statement. *Journal of the American College of Cardiology*, 34: 1348-1359. http://content.onlinejacc.org/cgi/content/short/34/4/1348
- Bove, A.A. and Davis, J. 2003. DIVING MEDICINE, Fourth Edition. Philadelphia: W.B. Saunders Company.
- Edmonds, C., Lowry, C., Pennefather, J. and Walker, R. 2002. DIVING AND SUBAQUATIC MEDICINE, Fourth Edition. London: Hodder Arnold Publishers.
- Bove, A.A. ed. 1998. MEDICAL EXAMINATION OF SPORT SCUBA DIVERS, San Antonio, TX: Medical Seminars, Inc.
- NOAA DIVING MANUAL, NOAA. Superintendent of Documents. Washington, DC: U.S. Government Printing Office.
- U.S. NAVY DIVING MANUAL. Superintendent of Documents, Washington, DC: U.S. Government Printing Office, Washington, D.C.



APPENDIX 3 AAUS MEDICAL EVALUATION OF FITNESS FOR SCUBA DIVING REPORT

Name of Applicant (Print or Type)	Date (Mo/Day/Year)	Date of Birth (Mo/Day/Year)*
Form may indicate potential health or safet individual in several ways. Your evaluation is medical fitness is requested. SCUBA diving redisease (see references, following page). An ab pressure. Any condition that risks the loss of the AAUS Medical Standards (Section 6.00).	ter breathing apparatus (SCUBA), by risks as noted. SCUBA diving it is requested on this Medical Evaluequires heavy exertion. The diversolute requirement is the ability of consciousness should disqualify the	Their answers on the Diving Medical History is an activity that puts unusual stress on the patient form. Your opinion on the applicant's must be free of cardiovascular and respiratory of the lungs, middle ears and sinuses to equalize e applicant. Please proceed in accordance with a medicine, please consult with the Undersea
TESTS: THE FOLLOWING TESTS ARE $\underline{\mathbf{R}}$	EQUIRED:	
 DURING ALL INITIAL AND PERIODIC Medical history Complete physical exam, with emph Urinalysis Any further tests deemed necessary 	nasis on neurological and otologic	
ADDITIONAL TESTS DURING FIRST FAGE 40):	EXAM OVER AGE 40 AND PE	CRIODIC RE-EXAMS (OVER
Chest x-ray (Required only during f	irst exam over age 40)	
 Resting EKG Assessment of coronary artery disea (age, lipid profile, blood pressure, d Note: Exercise stress testing may be 	iabetic screening, smoking)	
PHYSICIAN'S STATEMENT:		
01 Diver IS medically qualified to d		2 years (over age 60) 3 years (age 40-59) 5 years (under age 40)
02 Diver <u>IS NOT</u> medically qualified	ed to dive:Perman	entlyTemporarily.

¹ Grundy, S.M., Pasternak, R., Greenland, P., Smith, S., and Fuster, V. 1999. Assessment of Cardiovascular Risk by Use of Multiple-Risk-Factor Assessment Equations. AHA/ACC Scientific Statement. *Journal of the American College of Cardiology*, 34: 1348-1359. http://content.onlinejacc.org/cgi/content/short/34/4/1348

2 Gibbons RJ, et al. ACC/AHA Guidelines for Exercise Testing. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). Journal of the American College of Cardiology.30:260-311, 1997. http://www.acc.org/clinical/guidelines/exercise/exercise.pdf

Name of Applicant		Date	
REMARKS:			
		_	
and required tests for so disqualifying for partic disqualify him/her from	ientific diving (Section 6.00 and Appendipation in SCUBA diving. I have discu	e American Academy of Underwater Sciences medical standarix 1) and, in my opinion, find no medical conditions that may assed with the patient any medical condition(s) that would omise subsequent health. The patient understands the nature s.	be not
Date	Signature of Medical Doctor		
Name (Print or Type)			
Address			
Telephone Number	Email		
My familiarity with app O With this exam only O Regular Physician for O Other (describe)			
following credentials) (1) US Navy Di 2) NOAA Qua 3) Board Certi 4) Qualified St		ric Medicine Facility	
6) A general plant and approved l		diving physician that is less than one year old may be review However additional tests to satisfy the AAUS physical may	
APPLICANT'S RELEA I authorize the release of the South Carolina Aqu			
Signature of Applicant			

* The Aquarium does not discriminate in employment opportunities or practices on the basis of race, color, religion, gender, sexual orientation, national origin, age, genetic information, disability, veteran status or any other characteristic protected by law. Due to variations in the recurrence of required dive physicals and the differences in the required testing, this information is required.



APPENDIX 4 DIVING MEDICAL HISTORY FORM

(To Be Completed By Applicant-Diver)

Name	Sex Age Wt Ht
Sponsor(Mo/Day/Yr)	Date/(Dept./Project/Program/School, etc.)

TO THE APPLICANT:

SCUBA diving places considerable physical and mental demands on the diver. Certain medical and physical requirements must be met before beginning a diving or training program. Your accurate answers to the questions are more important, in many instances, in determining your fitness to dive than what the physician may see, hear or feel as part of the diving medical certification procedure.

This form shall be kept confidential by the examining physician. If you believe any question amounts to invasion of your privacy, you may elect to omit an answer, provided that you shall subsequently discuss that matter with your own physician who must then indicate, in writing, that you have done so and that no health hazard exists.

Should your answers indicate a condition, which might make diving hazardous, you will be asked to review the matter with your physician. In such instances, their written authorization will be required in order for further consideration to be given to your application. If your physician concludes that diving would involve undue risk for you, remember that they are concerned only with your well-being and safety.

	Yes	No	Please indicate whether or not the following apply to you	Comments
1			Convulsions, seizures, or epilepsy	
2			Fainting spells or dizziness	
3			Been addicted to drugs	
4			Diabetes	
5			Motion sickness or sea/air sickness	
6			Claustrophobia	
7			Mental disorder or nervous breakdown	
8			Are you pregnant?	
9			Do you suffer from menstrual problems?	
10			Anxiety spells or hyperventilation	
11			Frequent sour stomachs, nervous stomachs or vomiting spells	
12			Had a major operation	
13			Presently being treated by a physician	

	Yes	No	Please indicate whether or not the following apply to you	Comments
14			Taking any medication regularly (even non-prescription)	
15			Been rejected or restricted from sports	
16			Headaches (frequent and severe)	
17			Wear dental plates	
18			Wear glasses or contact lenses	
19			Bleeding disorders	
20			Alcoholism	
21			Any problems related to diving	
22			Nervous tension or emotional problems	
23			Take tranquilizers	
24			Perforated ear drums	
25			Hay fever	
26			Frequent sinus trouble, frequent drainage from the nose, post-nasal drip, or stuffy nose	
27			Frequent earaches	
28			Drainage from the ears	
29			Difficulty with your ears in airplanes or on mountains	
30			Ear surgery	
31			Ringing in your ears	
32			Frequent dizzy spells	
33			Hearing problems	
34			Trouble equalizing pressure in your ears	
35			Asthma	
36			Wheezing attacks	
37			Cough (chronic or recurrent)	
38			Frequently raise sputum	
39			Pleurisy	
40			Collapsed lung (pneumothorax)	
41			Lung cysts	
42			Pneumonia	
43			Tuberculosis	

	Yes	No	Please indicate whether or not the following apply to you	Comments
44			Shortness of breath	
45			Lung problem or abnormality	
46			Spit blood	
47			Breathing difficulty after eating particular foods, after exposure to particular pollens or animals	
48			Are you subject to bronchitis	
49			Subcutaneous emphysema (air under the skin)	
50			Air embolism after diving	
51			Decompression sickness	
52			Rheumatic fever	
53			Scarlet fever	
54			Heart murmur	
55			Large heart	
56			High blood pressure	
57			Angina (heart pains or pressure in the chest)	
58			Heart attack	
59			Low blood pressure	
60			Recurrent or persistent swelling of the legs	
61			Pounding, rapid heartbeat or palpitations	
62			Easily fatigued or short of breath	
63			Abnormal EKG	
64			Joint problems, dislocations or arthritis	
65			Back trouble or back injuries	
66			Ruptured or slipped disk	
67			Limiting physical handicaps	
68			Muscle cramps	
69			Varicose veins	

	Yes	No	Please indicate whether or not the following apply to you	Comments
70			Amputations	
71			Head injury causing unconsciousness	
72			Paralysis	
73			Have you ever had an adverse reaction to medication?	
74			Do you smoke?	
75			Have you ever had any other medical problems not listed? If so, please list or describe below;	
76			Is there a family history of high cholesterol?	
77			Is there a family history of heart disease or stroke?	
78			Is there a family history of diabetes?	
79			Is there a family history of asthma?	
80			Date of last tetanus shot? Vaccination dates?	

Please explain any "yes" answers to the above questions.				
I certify that the above answers and inform	nation represent an accurate and complete description of my medical history.			
Signature	Date			



APPENDIX 5

RECOMMENDED PHYSICIANS WITH EXPERTISE IN DIVING MEDICINE

List of local medical doctors that have training and expertise in diving or undersea medicine:

Dr. Lance Davis Roper Hospital Hyperbaric Chamber 316 Calhoun Street Charleston, SC 843 724-2014

Divers Alert Network 6 West Colony Place Durham, NC 27705 919 684-9111



APPENDIX 6

DEFINITION OF TERMS

AAUS - The American Academy of Underwater Sciences. The Academy is a non-profit organization comprised of individuals and organizations that are interested in and/or use diving as a research tool. The principal aims of the Academy are to establish and maintain scientific diving standards, to promote diving safety, and to exchange information on scientific diving methods and techniques.

Air sharing - Sharing of an air supply between divers.

ATA(s) - "Atmospheres Absolute", Total pressure exerted on an object, by a gas or mixture of gases, at a specific depth or elevation, including normal atmospheric pressure.

Bottom Time - The total elapsed time measured in minutes from the time when the diver leaves the surface in descent to the time that the diver begins a direct ascent to the surface.

Breath-hold Diving - A diving mode in which the diver uses no self-contained or surface-supplied air or oxygen supply.

Buddy Breathing - The sharing of a single air source between divers.

Buddy Diver - Second member of the dive team.

Buoyant Ascent - An ascent made using some form of positive buoyancy.

Burst Pressure - The pressure at which a pressure containment device would fail structurally.

Certified Diver - A diver who holds a recognized valid certificate from a member organization or recognized certifying agency.

Controlled Ascent - Any one of several kinds of ascents including normal, swimming, and buddy breathing ascents where the diver(s) maintain control so a pause or stop can be made during the ascent.

Cylinder - A pressure vessel for the storage of gases.

Decompression Chamber - A pressure vessel for human occupancy. Also called a hyperbaric chamber or recompression chamber.

Decompression Sickness - A condition with a variety of symptoms that may result from gas and bubbles in the tissues of divers after pressure reduction.

Decompression Table - A profile or set of profiles of depth-time relationships for ascent rates and breathing mixtures to be followed after a specific depth-time exposure or exposures. (Also called dive tables.)

Dive - A descent into the water, an underwater diving activity utilizing compressed gas, an ascent, and return to the surface.

Dive Location - A surface or vessel from which a diving operation is conducted.

Dive Location Reserve Breathing Air - A supply system of air at the dive location, which is independent of the primary supply system and sufficient to support divers during any planned decompression dive.

Dive Person in Charge - The qualified paid staff diver with experience and training to conduct and supervise the diving operation.

Dive Site - The physical location of a diver during a dive.

Dive Table - A profile or set of profiles of depth-time relationships for ascent rates and breathing mixtures to be followed after a specific depth-time exposure or exposures.

Dive Team - Divers and support individuals who are exposed to or control the exposure of others to hyperbaric conditions.

Diver - An individual in the water who uses apparatus, including snorkels, which supplies breathing gas at ambient pressure.

Diver-In-Training - An individual gaining experience and training in additional diving activities under the supervision of a dive team member experienced in those activities.

Diver-carried Reserve Breathing Air - A diver-carried independent supply of air or sufficient under standard operating conditions to allow the diver to reach the surface, or another source of breathing gas, or to be reached by another diver.

Diving Mode - A type of diving requiring specific equipment, procedures, and techniques, for example, snorkel, SCUBA or surface-supplied air).

Diving Control Board or DCB. - The group of individuals who sit in council with autonomous and absolute authority for the South Carolina Aquarium in matters concerning the scientific diving program.

Diving Safety Officer or DSO - The official representative for the DCB that is responsible for the safe conduct of overall diving procedures and the operation of the dive program of The South Carolina Aquarium (see Section 1.23).

EAD - Equivalent Air Depth (see below).

Emergency Ascent - An ascent made under emergency conditions where the diver exceeds the normal ascent rate.

Enriched Air (EANx) - A name for a breathing mixture of air and oxygen when the percentage of oxygen exceeds 21%. This term is considered synonymous with the term "nitrox" (Section 7.00)

Equivalent Air Depth (EAD) - Depth at which air will have the same nitrogen partial pressure as the nitrox mixture being used. This number expressed in units of feet seawater or saltwater, will always be less than the actual depth for any enriched air mixture.

Entry-level - Refers to the initial training received by new divers for recreational, sport, or underwater sightseeing purposes only while using SCUBA. An active instructor with a nationally recognized diver training organization awards certification. It certifies the individual for open water diving in daylight hours to a depth of 60 fsw or 61 ffw.

fN₂ - Fraction of nitrogen in a gas mixture, expressed as either a decimal or percentage by volume.

fO₂ - Fraction of oxygen in a gas mixture, expressed as either a decimal or percentage by volume.

FFW - Feet of freshwater, or equivalent static head.

FSW - Feet of seawater, or equivalent static head.

Hookah Diving - A type of shallow water surface-supplied diving where there is no voice communication with the surface.

Hyperbaric Chamber - See decompression chamber.

Hyperbaric Conditions - Pressure conditions in excess of normal atmospheric pressure at the dive location.

Lead Diver - The most experienced scientific diver during open water activities. Responsible for the dive log and all diving operations, subject to the discretion of the "chief scientist" or a boat captain. Ensures that all equipment is in good working order. Reports to the DSO how SDTs performed during open water diving. Is responsible for advising the "chief scientist" on the diving to be conducted

Maximum Working Pressure - The maximum pressure to which a pressure vessel may be exposed under standard operating conditions.

Mixed Gas - MG

Mixed-gas diving - A diving mode in which the diver is supplied in the water with a breathing gas other than air.

MOD - Maximum Operating Depth, usually determined as the depth at which the pO2 for a given gas mixture reaches a predetermined maximum.

MSW - Meters of seawater or equivalent static head.

Nitrox - Any gas mixture comprised predominately of Nitrogen and Oxygen, most frequently containing between 21% and 40% oxygen. Also referred to as Enriched Air Nitrox, abbreviated EAN.

NOAA Diving Manual - Refers to the *NOAA Diving Manual, Diving for Science and Technology*, 2001 edition. National Oceanic and Atmospheric Administration, Office of Undersea Research, US Department of Commerce.

No-Decompression Limits - The depth-time limits of the "no-decompression limits and repetitive dive group designations table for no-decompression air dives" of the U.S. Navy Diving Manual or equivalent limits.

Normal Ascent - An ascent made with an adequate air supply at a rate of 60 feet per minute or less. **Organization Member** - An organization which is a current member of the AAUS, and which has a program that adheres to the standards of the AAUS as set forth in the AAUS Standards for Scientific Diving Certification and Operation of Scientific Diving Programs.

Oxygen Clean - All combustible contaminants have been removed.

Oxygen Compatible - A gas delivery system that has components (o-rings, valve seats, diaphragms, etc.) that are compatible with oxygen at a stated pressure and temperature.

Oxygen Service - A gas delivery system that is both oxygen clean and oxygen compatible.

Oxygen Toxicity Unit - OTU

Oxygen Toxicity - Any adverse reaction of the central nervous system ("acute" or "CNS" oxygen toxicity) or lungs ("chronic", "whole body", or "pulmonary" oxygen toxicity) brought on by exposure to an increased (above atmospheric levels) partial pressure of oxygen.

Pressure-related Injury - Any injury resulting from pressure disequilibria within the body as the result of hyperbaric exposure. Examples include decompression sickness, pneumothorax, mediastinal emphysema, air embolism, subcutaneous emphysema, or ruptured eardrum.

Pressure Vessel - See cylinder.

pN₂ - Inspired partial pressure of nitrogen, usually expressed in units of atmospheric absolute.

 \mathbf{pO}_2 - Inspired partial pressure of oxygen, usually expressed in units of atmospheric absolute.

Psi - Units of pressure, "pounds per square inch".

Psig - Units of pressure, "pounds per square inch gauge".

Recompression Chamber - See decompression chamber.

Reserve Air Supply System - See Diver Carried Reserve Breathing Air

Safety Diver - A diver responsible for in-water supervision and monitoring of the working divers **Scientific Diving -** Scientific diving is defined (29CFR1910.402) as diving performed solely as a necessary part of a scientific, research, or educational activity by employees whose sole purpose for diving is to perform scientific research tasks.

SCUBA Diving - A diving mode independent of surface supply in which the diver uses open circuit self-contained underwater breathing apparatus.

Standby Diver - A diver at the dive location capable of rendering assistance to a diver in the water.

Surface Supplied Diving - A diving mode in which the diver in the water is supplied from the dive location with compressed gas for breathing and voice communication with the surface.

Swimming Ascent - An ascent that can be done under normal or emergency conditions accomplished by simply swimming to the surface.

Tender - Topside active diver that monitors, air and communications during a Surface Supply Dive **Umbilical -** The composite hose bundle between a dive location and a diver or bell, or between a diver and a bell, which supplies the diver or bell with breathing gas, communications, power, or heat, as appropriate to the diving mode or conditions, and includes a safety line between the diver and the dive location.

Volume Tank - A pressure vessel connected to the outlet of a compressor and used as an air reservoir.

Working Pressure - The normal pressure at which the system is designed to operate.



APPENDIX 7 AAUS REQUEST FOR DIVING RECIPROCITY FORM VERIFICATION OF DIVER TRAINING AND EXPERIENCE

A scientific diver that is currently certified under the auspices of an organizational member institution of the American Academy of Underwater Sciences (AAUS) shall be recognized by any other organizational member of AAUS and may apply for reciprocity in order to dive with the host organization. Organizational members that are in good standing with AAUS operate, at a minimum, under the AAUS Standards for Scientific Diving Certification and Operation of Scientific Diving Programs (1996 edition). The visiting diver will comply with the diving regulations of the host organization's Diving Safety Manual unless previously arranged by both organization's Diving Control Boards.

The host organization has the right to approve or deny this request and may require, at a minimum, a checkout dive with the Diving Safety Officer (DSO) or designee of the host organization. If the request is denied, the host organization should notify to the DSO of the visiting diver the reason for the denial. The DSO for the visiting scientific diver has confirmed the following information:

Name of diver:

(Date) _Written diving examination Last diving medical examination Most recent checkout dive Regulator Service Date (Serial Number) _AGA Service Date (Serial Number) _____ BCD Service Date (Serial Number) Cylinder Inspection Date (Serial Number) CPR training (Agency) Oxygen administration (Agency) _First aid for diving (Agency) _____ Date of last dive Number of dives completed within previous 12 months? Depth certification _Any restrictions? (Y/N) _if yes, explain: Please check any pertinent specialty certifications: Dry suit Rescue Blue water ____Dive Computer Divemaster Altitude Nitrox Instructor Ice/Polar Mixed gas EMT Cave Closed circuit Full Face Mask ____Dive Accident Management Chamber operator _Night Saturation Decompression ____Lifesaving OTHER

Emergency Information: (To	notify in an emergency)	
Name:	Relationship:	
Telephone: (work)	(home)	
Address:		
This is to verify that the abov Diving Safety Officer:	·	
(Signat		(Date)
(Pr	int)	(Telephone, FAX, e-mail)
(Ins	etitution)	



APPENDIX 8

DIVING EMERGENCY MANAGEMENT PROCEDURES

Introduction

A diving accident victim could be any person who has been breathing compressed air underwater, regardless of depth. It is essential that emergency procedures are pre-planned and that medical treatment is initiated as soon as possible. It is the responsibility of each AAUS organizational member to develop procedures for diving emergencies including evacuation and medical treatment for each dive location.

General Procedures

Depending on and according to the nature of the diving accident, stabilize the patient, administer 100% oxygen, contact local Emergency Medical System (EMS) for transport to medical facility, contact diving accident coordinator, as appropriate. Explain the circumstances of the dive incident to the evacuation teams, medics and physicians. Do not assume that they understand why 100% oxygen may be required for the diving accident victim or that recompression treatment may be necessary.

Make contact with victim and/or rescue as required. Activate dive alarm and/or call Security (depending on location).

Establish, (C)irculation (A)irway, and (B)reathing as required.

Administer 100% oxygen, if appropriate (in cases of decompression illness, or near drowning).

Call Security for response to all emergencies. Do not dial 911 unless security cannot be reached.

Call DAN for contact with dive physician and recompression chamber @ Roper Hospital.

Notify DSO or designee according to Section 2.50 of the Diving Safety Manual.

Complete and submit Incident Report Form (Appendix 9) to the DCB of the organization and the AAUS (As required in Section 2.72)

Emergency Contact numbers for dive emergencies: SCA SECURITY- 579-8507or Radio Channel 1

Security will notify the following husbandry staff:

Curator

Dive Officer

Director/ Husbandry

Executive Director

DAN- DIVER ALERT NETWORK- Duke University, Durham, North Carolina- 919-684-9111 ROPER HOSPITAL HYPERBARIC CHAMBER- 316 Calhoun Street, Charleston, S.C. 724-2014 EMERGENCY MEDICAL SERVICES- 911

OFFSHORE DIVING- COAST GUARD-

VHF CHANNEL 16

MOBILE-911



APPENDIX 9 Staff/ Volunteer Accident/Injury/Incident Report

MIR #		Ü	
SS#:	SEX: M /	F	
Name (Last, First, M. <u>I.)</u>			_
Street Address			
City	State		_Zip
Home Phone: () -	Work Phone: () -	Ce <u>llular: () -</u>
Job Title:		Normal Worki	ng Hours: to to
Division:		Supervisor:	·
Department:			
Type of Accident / Injury or Incident:			
Date and Time of Accident / Incide	ent:	(am / pm)	
Location of Accident / Incident: possible – in route to work / at w business)	· •		
	T 11 . D		
Date and Time of Accident / Injury To who was the Incident Reported:	y or Incident Kep <u>orte</u>	d:	(am / pm)

Describe the nature of the accident / Injury:									
(Staff / Volunteer Acc	cident / Injury or	Incident Re	port Continue	ed) MIR #					
Print Names of any witnesses and their Telephone numbers:				()	-			
				())	-			
_				())	-			
				())	-			
FIRST RESPONDE	R INFORMATI	ON							
Name of 1st Responde	<u>r:</u>								
Medical Information:									
Time:	B/P:	/	Pulse:		RESP:				
Time:	B/P:	/	Pulse:		RESP:				
Time:	B/P:	/	Pulse:		RESP:				
Treatment Given:									
DISPOSITION									
No First Aid required,	Returned to wor	k 🗆							
Provided First Aid, Re	eturned to work								
Sent for Medical Eval	uation / Treatme	nt 🗆							
Emergency Transport	to Medical Facili	ity							
——EMS Activated	d (Uni <u>t #:</u>)							
——Transported by	Aquarium Vehi	cle							
——Transported by	Personal Vehicl	le							
Photographs ta	ken (QTY:	_)							
Safety Manager Notifi	ed: Yes or No	Date:		Time:	<u>:</u>	am / pm			



APPENDIX 10 ASSUMPTION OF RISK AND LIABILITY RELEASE AGREEMENT

I, acknowledge that I have voluntarily applied to participate in skin and/or SCUBA diving under the auspices of The South Carolina Aquarium dive program located in the City of Charleston, County of Charleston, and State of South Carolina.
I AM AWARE THAT SCUBA AND/OR SKIN DIVING IS A HAZARDOUS ACTIVITY AND INVOLVES RISKS THAT MAY LEAD TO SERIOUS INJURY OR DEATH. I AM VOLUNTARILY PARTICIPATING IN THESE ACTIVITIES WITH KNOWLEDGE OF THE DANGER INVOLVED, HEREBY AGREE TO ACCEPT ANY AND ALL RISKS OF INJURY OR DEATH, AND VERIFY THIS STATEMENT BY PLACING MY INITIALS HERE:
As consideration for being permitted to enroll and participate in skin and/or SCUBA diving within the auspices of The South Carolina Aquarium dive program, I hereby voluntarily release, discharge, waive and relinquish any and all actions or causes of action for personal injury, property damage or wrongful death occurring to me arising as a result of engaging or receiving instructions in skin and/or SCUBA diving activities, or any activities incidental thereto, wherever or however the same may occur and for whatever period the activities or instructions may continue, and I do for myself, my heirs, executors, administrators and assigns hereby voluntarily release, waive, discharge and relinquish any action or causes of action which may hereafter arise for me and for my estate, and agree that under no circumstances will I or my heirs, executors, administrators and assigns prosecute, present any claim for personal injury, property damage or wrongful death against The South Carolina Aquarium or any of its officers, agents, servants or employees for any of said causes of action, whether the same shall arise by negligence or otherwise.
IT IS MY INTENTION, BY THIS INSTRUMENT, TO EXEMPT AND RELIEVE THE SOUTH CAROLINA AQUARIUM FROM LIABILITY FOR PERSONAL INJURY, PROPERTY DAMAGE OR WRONGFUL DEATH CAUSED BY NEGLIGENCE.
The Undersigned, for him/herself, his/her heirs, executors, administrators or assigns agrees that in the event any claim for personal injury, property damage or wrongful death shall be prosecuted against The South Carolina Aquarium he/she shall indemnify and save harmless the same The South Carolina Aquarium from any and all claims or causes of action by whomever or wherever made or presented for personal injuries, property damage or wrongful death.
I have carefully read this agreement, am fully and completely aware of the potential dangers incidental to engaging in the activity of skin and/or SCUBA diving, and am fully aware of the legal consequences of signing this agreement. I am aware that this is a release from liability and sign it of my own free will.
Witness Signature of Volunteer/Guest Date



APPENDIX 11 APPLICATION FOR THE SOUTH CAROLINA AQUARIUM DIVE CERTIFICATION

AQUARION DIVE CERTIFICATION					
Name Date					
Address					
Home phone Work phone Emergency Contact: Phone					
SCUBA Certification:					
Agency Date Level Total dives logged Date of last dive					
SOUTH CAROLINA AQUARIUM CERTIFICATION REQUESTED:					
□ STAFF DIVER □ VOLUNTEER DIVER					
□ OPEN WATER DIVER □ EXHIBIT DIVER					
(CHECK ALL THAT APPLY)					
□ RECIPROCITY CERTIFICATION If RECIPROCITY is being requested:					
Name of home organization:					
Dive Officer: Telephone:					
Applicant: Do not write below this line					
THE SOUTH CAROLINA AQUARIUM CERTIFICATION REQUIREMENT CHECK LIST					
Checkout Dive Physical examination SCUBA certification card Written examination CPR Certification O2 Certification					
TYPE OF CERTIFICATION/ DEPTH Diver In Training Aquarium Diver Open Water Diver Temporary Diver Permit					
OPEN WATER DIVER CERTIFICATION DEPTH 30 foot 60 foot 100 foot 130 foot					
Certification is not valid until all requirements are met and the South Carolina Aquarium Diving Safety Officer approves this application.					
Signature, the South Carolina Aquarium Diving Safety Officer Date					



APPENDIX 12

Accident Medical Coverage Acknowledgment Form

It is the intention of the South Carolina Aquarium to clearly explain the extent of accident medical coverage provided by the South Carolina Aquarium for its volunteer divers.

The maximum coverage for any medical expense resulting from an accident while diving as a volunteer at the South Carolina Aquarium is \$50,000 per covered accident. Any amount of medical expenses over \$50,000 will be the sole responsibility of the individual volunteer diver.

Divers Alert Network (DAN) supplemental dive insurance does not cover divers during aquarium dives.

Aquarium and understand that the	ge the accident medical coverage provided through the South Card medical expenses over \$50,000 associated with injuries resulting of each individual volunteer diver in the case of a covered accide olina Aquarium.	from dive
Signature	Date	
Print Name		